



NS0-175^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-175.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer wants to deploy a FlexPod Datacenter solution that supports a secure multitenant design with VMware vSphere 6.x as the hypervisor. The customer wants to ensure that virtual machines are encrypted in transit and at rest and restricted to their specified tenant.

Which component should the customer use to implement this capability?

- A. Cisco TrustSec
- B. NetApp Storage Encryption
- C. NetApp Volume Encryption
- D. VMware vSphere virtual machine encryption

Correct Answer: B

QUESTION 2

You want to add a customer's NetApp storage controllers into their Cisco Intersight management portal. In this scenario, which IP address would you choose to add?

- A. NetApp SVM management IP address
- B. NetApp Active IQ Unified Manager IP address
- C. NetApp cluster IP address
- D. NetApp Virtual Storage Console IP address

Correct Answer: B

QUESTION 3

A customer wants a low latency and high IOPS FlexPod solution and decides on an end-to-end NVMe design.

In this scenario, which three components are required to accomplish this task? (Choose three.)

- A. NetApp FAS with a 32Gbps FC HBA
- B. Cisco Application Policy Infrastructure Controller (APIC)
- C. Cisco MDS Series switches
- D. NetApp AFF with a 32Gbps FC HBA



E. Cisco UCS Virtual Interface Card (VIC) 1400 series

Correct Answer: CDE

QUESTION 4

Which Cisco UCS Fabric Interconnect model has multiple 100 Gbps ports available for use?

- A. Cisco UCS 6332
- B. Cisco UCS 6324
- C. Cisco UCS 6454
- D. Cisco UCS 6332-16UP

Correct Answer: C

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/servers-unified-computing/ucs-b-seriesblade-servers/6400-specsheet.pdf>

QUESTION 5

A customer has a FlexPod configuration that supports FC and uses Cisco MDS switches. The customer wants to add a 48-Port 32 Gbps Advanced Fibre Channel Switching blade to support both 32 Gbps FC and 32 Gbps NVMe-oF.

In this scenario, which Cisco switch is appropriate?

- A. MDS 9250i
- B. MDS 9706
- C. MDS 9148S
- D. MDS 9396S

Correct Answer: C