



NS0-175^{Q&As}

Cisco and NetApp FlexPod Design Specialist

Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-175.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What are three requirements for all FlexPod Datacenter solutions? (Choose three.)

- A. two NetApp storage controllers in a high-availability (HA) pair configuration
- B. a separate 100 Mbps Ethernet/1 Gbps Ethernet out-of-band management network
- C. a pair of Fabric Extenders in a redundant configuration
- D. two Cisco UCS 6200, 6300, or 6400 Series Fabric Interconnects in a redundant configuration
- E. redundant boot-from-SAN LUN paths

Correct Answer: CDE

QUESTION 2

During a design meeting, a customer states that their goal is to deliver continuous availability across both network and storage during business continuity events. The customer has two data centers that are 80 km apart, and they want the configuration to be as logically unified across both sites as possible.

In this scenario, which FlexPod data protection solution achieves this goal?

- A. FlexPod with NetApp Cloud Sync
- B. FlexPod with NetApp SnapCenter
- C. FlexPod with NetApp MetroCluster IP
- D. FlexPod with NetApp FabricPool

Correct Answer: C

QUESTION 3

An administrator is designing a FlexPod solution with NetApp ONTAP 9.7 software with a logical separation of data for each department.

In this scenario, which two components must be part of the design? (Choose two.)

- A. IPspaces
- B. volumes
- C. virtual port channels



D. Storage Virtual Machines

Correct Answer: AB

QUESTION 4

A customer wants to upgrade their current VMware vSphere 6.5 environment to vSphere 7.x.

Where would you go to determine which Cisco UCS configurations support this goal?

- A. Cisco UCS Hardware and Software Compatibility List
- B. NetApp Active IQ
- C. NetApp Product Documentation Guides and Resources
- D. FlexPod.com website

Correct Answer: A

QUESTION 5

You are creating a FlexPod with a significant AI workload and would like to use NVIDIA's SXM2-based GPUs.

Which Cisco UCS server would you use in this scenario?

- A. Cisco UCS C240 M5
- B. Cisco UCS B200 M5
- C. Cisco UCS C480 ML M5
- D. Cisco UCS C125 M5

Correct Answer: C

Reference: https://docs.netapp.com/us-en/flexpod/pdfs/sidebar/FlexPod_Datacenter_Technical_Specifications.pdf

[Latest NS0-175 Dumps](#)

[NS0-175 PDF Dumps](#)

[NS0-175 VCE Dumps](#)