



# NS0-175<sup>Q&As</sup>

Cisco and NetApp FlexPod Design Specialist

## Pass NetApp NS0-175 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-175.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

During a design meeting, a customer states that their goal is to deliver continuous availability across both network and storage during business continuity events. The customer has two data centers that are 80 km apart, and they want the configuration to be as logically unified across both sites as possible.

In this scenario, which FlexPod data protection solution achieves this goal?

- A. FlexPod with NetApp Cloud Sync
- B. FlexPod with NetApp SnapCenter
- C. FlexPod with NetApp MetroCluster IP
- D. FlexPod with NetApp FabricPool

Correct Answer: C

---

**QUESTION 2**

You are designing a new FlexPod solution to use with VMware vSphere by using NFS datastores and want to ensure maximum availability by using a vPC.

In this scenario, on which Cisco component would you configure vPC interfaces?

- A. Cisco UCS Fabric Interconnect
- B. Cisco MDS switches
- C. Cisco Nexus switches
- D. UCS B-Series blade server

Correct Answer: C

Reference: [https://www.cisco.com/c/en/us/td/docs/unified\\_computing/ucs/UCS\\_CVDs/flexpod\\_vmware\\_vs\\_7\\_design.html](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/UCS_CVDs/flexpod_vmware_vs_7_design.html)

---

**QUESTION 3**

A customer is designing a FlexPod solution that must satisfy the requirements shown below:

- have disaster recovery to an alternative data center,
- must have continuous replication of data for a database,
- must leverage a 100Gbps capable switch,
- have a maximum distance of 700 km.



In this scenario, which two components would be used to satisfy the requirements? (Choose two.)

- A. MetroCluster FC
- B. Cisco Nexus 3232C
- C. MetroCluster IP
- D. Cisco MDS 9132T

Correct Answer: AC

Reference: <https://www.cisco.com/c/dam/en/us/products/collateral/servers-unified-computing/flexpodmetrocluster-ip-vxlan-multi-site-wp.pdf>

---

#### QUESTION 4

A customer wants a FlexPod solution that is designed for high performance applications and that will support 32 Gbps Fibre Channel block storage.

In this scenario, which two components should you recommend to the customer? (Choose two.)

- A. NetApp AFF C190
- B. NetApp AFF A800
- C. Cisco Nexus 93180YC-FX
- D. Cisco Nexus 9504

Correct Answer: BC

---

#### QUESTION 5

A customer with a FlexPod solution wants to expand their NetApp ONTAP 9.7 switchless cluster. The new hardware must support expansion slots. In addition, they will also upgrade to a 100 Gbps-capable cluster interconnect switch for future growth.

In this scenario, which two additional components will satisfy the requirement? (Choose two.)

- A. Nexus 3232C
- B. Nexus N3132Q-V
- C. NetApp FAS2720
- D. NetApp AFF A400

Correct Answer: AB

Reference: [https://docs.netapp.com/us-en/flexpod/pdfs/sidebar/FlexPod\\_Datacenter\\_Technical\\_Specifications.pdf](https://docs.netapp.com/us-en/flexpod/pdfs/sidebar/FlexPod_Datacenter_Technical_Specifications.pdf) (26)



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/ns0-175.html>

2024 Latest pass4itsure NS0-175 PDF and VCE dumps Download

---

[NS0-175 VCE Dumps](#)

[NS0-175 Practice Test](#)

[NS0-175 Exam Questions](#)