



NS0-184^{Q&As}

NetApp Certified Storage Installation Engineer, ONTAP

Pass NetApp NS0-184 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-184.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



You are installing a 2-node AFF A400 switchless cluster. You have cabled the management network to the e0M port. NetApp also recommends cabling to a redundant management network switch.

Referring to the exhibit, to which port should the redundant management network be cabled?

- A. 3
- B. 2
- C. 1
- D. 4

Correct Answer: D

QUESTION 2

While installing a new AFF A400 HA pair, you are unable to add an NTP server from another subnet. You are able to ping the NTP server from the new cluster.

In this scenario, what are two causes of this problem? (Choose two.)

- A. The admin SVM has the wrong gateway.
- B. A firewall is blocking port 123.
- C. The time skew is too great.
- D. The cluster management LIF needs to be in a different IPspace.

Correct Answer: AD

QUESTION 3

Which three components are required when setting up a new ONTAP cluster? (Choose three.)

- A. password



- B. cluster management IP
- C. node management IP
- D. Advanced Drive Partitioning
- E. intercluster IP

Correct Answer: BCE

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-nmg%2FGUID1BA3000D-2243-44E4-98CC-8D42A5C8AF8F.html>

QUESTION 4

You completed an ONTAP cluster deployment as a reseller engineer. During the knowledge transfer process to the customer, they ask for proof that the array has correct multi-path HA cabling deployed and that the array is error free.

Which documentation output would you present to the customer to satisfy this requirement?

- A. Active IQ Unified Manager output
- B. NetAppDocs output
- C. Config Advisor output
- D. Active IQ OneCollect output

Correct Answer: C

Reference: <https://docs.netapp.com/platstor/topic/com.netapp.doc.hw-controller-add/GUID-64A513391F03-451C-B062-9F97E772817E.html>

QUESTION 5

Your customer wants a newly installed AFF C190 cluster to send SNMP notifications to a trap host called OVERWATCH01.

In this scenario, which two statements are correct? (Choose two.)

- A. Configure an SNMP community string on the cluster.
- B. Configure DNS on the cluster.
- C. Configure a trap host on the cluster.
- D. Configure a firewall policy and allow SNMP.

Correct Answer: BC

Reference: <http://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-nmg%2FGUID525CBCFB-E855-4FE6-B975-0AB69F499110.html>



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/ns0-184.html>

2024 Latest pass4itsure NS0-184 PDF and VCE dumps Download

[Latest NS0-184 Dumps](#)

[NS0-184 Practice Test](#)

[NS0-184 Exam Questions](#)