



NS0-194^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-194 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-194.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Test user "LAB\tester" can perform an operation in the CIFS share "HR" from the SVM "svm1". However, the rest of the users from the HR department cannot perform the same operation. You want to determine why only "LAB\tester" can perform the operation.

In this scenario, which security trace filter accomplishes this task?

- A. vserver security trace filter create -vserver svm1 -index 1 -protocol nfs -unix-name tester -trace-allow no
- B. vserver security trace filter create -vserver svm1 -index 1 -protocol cifs -windows- name LAB\tester trace-allow no
- C. vserver security trace filter create -vserver svm1 -index 1 -protocol cifs -windows- name LAB\tester trace-allow yes
- D. vserver security trace filter create -vserver svm1 -index 1 -protocol nfs -unix-name tester -trace-allow yes

Correct Answer: C Section: (none)

QUESTION 2

Source Path Destination Path Relationship ID Relationship Type msgId: msragId: 78e304e0-9781-1234-abcd-00a098d771bd XDP msxpgId: msrpxpgId: 3ca42ab4-9782-1234-abcd-00a098d771bd XDP na_docavgId: ndrdocavgId: a4b233b2-9783-1234-abcd-00a098d771bd XDP na_dr: ndrdr: c97d36a0-6d7c-11e8-83fb-00a098d771bd XDP na_gId: ndragId: 9e7e034d-9782-1234-abcd-00a098d771bd XDP na_mpgId: ndrampgId: 16e52e0d-9783-1234-abcd-00a098d771bd XDP na_opengId: ndraopengId: dabb1813-9780-1234-abcd-00a098d771bd XDP na_poc: ndrappoc: c1d632d7-977b-1234-abcd-00a098d771bd XDP na_pubgId: ndrappulgId: 1a3f866c-9780-1234-abcd-00a098d771bd XDP

Referring to the output, which type of SnapMirror destination relationship is being used?

- A. Single Volume SnapMirror Asynchronous
- B. Single Volume SnapMirror Synchronous
- C. SnapVault
- D. Storage Virtual Machine DR

Correct Answer: A Section: (none)

QUESTION 3

You want to update your storage system and are concerned about the compatibility of the SAN components and the host environment.

In this scenario, which two actions should you take to verify compatibility? (Choose two.)

- A. Use the Interoperability Matrix Tool.
- B. Use Active IQ Interop Advisor.



C. Upload AutoSupports to Active IQ.

D. Use the Active IQ Config Advisor.

Correct Answer: AD Section: (none)

QUESTION 4

A customer is trying to enable NVMe and wants to use the FC adapters in the controllers but cannot enable the protocol.

```
aff::> fcp adapter show -fields node, adapter, physical-protocol, max-speed, status-  
admin, media-type, speed  
(network fcp adapter show)
```

node	adapter	physical-protocol	max-speed	status-admin	media-type	speed
aff-01	0e	fibre-channel	16	up	ptp	auto
aff-01	0g	fibre-channel	16	up	ptp	auto
aff-01	0h	fibre-channel	16	up	ptp	auto
aff-01	1a	fibre-channel	16	up	ptp	auto
aff-01	1b	fibre-channel	16	up	ptp	auto
aff-01	2a	fibre-channel	16	up	ptp	16
aff-01	2b	fibre-channel	16	up	ptp	16
aff-01	3a	fibre-channel	16	up	ptp	auto
aff-01	3b	fibre-channel	16	up	ptp	auto
aff-01	4a	fibre-channel	16	up	ptp	auto
aff-01	4b	fibre-channel	16	up	ptp	auto
aff-02	0e	fibre-channel	16	up	ptp	auto
aff-02	0f	fibre-channel	16	up	ptp	auto
aff-02	0g	fibre-channel	16	up	ptp	auto
aff-02	0h	fibre-channel	16	up	ptp	auto
aff-02	1a	fibre-channel	16	up	ptp	auto
aff-02	1b	fibre-channel	16	up	ptp	auto
aff-02	2a	fibre-channel	16	up	ptp	auto
aff-02	2b	fibre-channel	16	up	ptp	auto
aff-02	3a	fibre-channel	16	up	ptp	auto
aff-02	3b	fibre-channel	16	up	ptp	auto
aff-02	4a	fibre-channel	16	up	ptp	auto
aff-02	4b	fibre-channel	16	up	ptp	auto

Referring to the exhibit, what is causing the problem?

A. There are no FC adapters installed with the speed set to 32Gbps.

B. There are no FC adapters installed with a physical protocol set to NVMe.

C. There are no FC adapters installed with a max-speed of 32Gbps.

D. There are no FC adapters installed with a media type of NVMe.

Correct Answer: B Section: (none)



QUESTION 5

Which three techniques are used in ONTAP to improve storage efficiencies? (Choose three.)

- A. compression
- B. encryption
- C. compaction
- D. ADP
- E. thin provisioning

Correct Answer: ACE Section: (none)

Reference: <https://cloud.netapp.com/blog/storage-efficiency-success-stories-with-cloud-volumes-ontap>

[NS0-194 Practice Test](#)

[NS0-194 Study Guide](#)

[NS0-194 Braindumps](#)