



NS0-194^{Q&As}

NetApp Certified Support Engineer

Pass NetApp NS0-194 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-194.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You want to update your storage system and are concerned about the compatibility of the SAN components and the host environment.

In this scenario, which two actions should you take to verify compatibility? (Choose two.)

- A. Use the Interoperability Matrix Tool.
- B. Use Active IQ Interop Advisor.
- C. Upload AutoSupports to Active IQ.
- D. Use the Active IQ Config Advisor.

Correct Answer: AD Section: (none)

QUESTION 2

What is the minimum number of compute nodes required to run the NetApp Deployment Engine for NetApp HCI?

- A. 2
- B. 1
- C. 3
- D. 4

Correct Answer: A Section: (none)

Reference: https://docs.netapp.com/us-en/hci/docs/task_hci_getstarted.html#:~:text=The%20minimum%20cluster%20for%20NetApp,to%20all%20NetApp%20HCI%20networks.

QUESTION 3

While troubleshooting client access issues to a CIFS share, you notice that the issue only occurs when the data LIF that the clients are accessing is on a specific node in the cluster.

In this scenario, which configuration should you review to determine why this issue is happening?

- A. cluster health
- B. Kerberos
- C. share path
- D. export policies

Correct Answer: B Section: (none)



Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2426787

QUESTION 4


You observe cyclic redundancy check (CRC) errors on a network port from a node in the cluster.

Which two components would you consider reseating or replacing before you perform actions on the physical port where the errors are reported from the node? (Choose two.)

- A. SFP
- B. cluster interconnect switch
- C. up-stream switch
- D. cable

Correct Answer: CD Section: (none)

QUESTION 5



In the AFF A200 shown in the exhibit, which port is a CNA port?

- A. |0|0|
- B. e0c/0c
- C. e0a
- D. 0a

Correct Answer: B Section: (none)

Reference: <https://docs.netapp.com/platstor/topic/com.netapp.doc.hw-2700-install-setup/GUID-FE4BD3C8-3DB4-438A-A5CE-FEEF74AE8BAF.html>

[NS0-194 PDF Dumps](#)

[NS0-194 Exam Questions](#)

[NS0-194 Braindumps](#)