



NS0-502^{Q&As}

NetApp Certified Implementation Engineer-SAN and Virtualization

Pass NetApp NS0-502 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-502.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A company wants to use jumbo frames to improve performance with their iSCSI network. When setting up the Ethernet switches for jumbo frames, which three components need to be configured? (Choose three.)

- A. Ethernet port on Management Console
- B. Ethernet port on RLM
- C. Ethernet port on host system
- D. Ethernet port on storage device
- E. Ethernet port on FC switch
- F. Ethernet switch ports being used

Correct Answer: CDF

QUESTION 2

What is the functionality of the latest Data ONTAP DSM for Windows?

- A. It can handle FCP and iSCSI paths to the same LUN.
- B. It allows you to take snapshots for both FCP and iSCSI LUNS.
- C. It allows you to enable ALUA on the igroup from the host.
- D. It allows you to create new LUNs from the host.

Correct Answer: A

QUESTION 3

What are three relevant perfstat counters to check for unaligned I/O that do not fall on the WAFL boundary? (Choose three.)

- A. wp.partial_write
- B. vvol_read.io_valid
- C. read/write_align_histo.XX
- D. read/write_partial_blocks.XX
- E. xinode content misses

Correct Answer: ACD



QUESTION 4

Which FC SAN topology provides the best performance and scalability?

- A. cascade
- B. core-edge
- C. full mesh
- D. partial mesh

Correct Answer: B

QUESTION 5

Click the Exhibit button.

```
port 0:id N2 No_Light
port 1:id N2 Online    f-Port 10:00:00:00:c9:37:85:ab
port 2:id N2 No_Light
port 3:id N2 Online    f-Port 10:00:00:00:c9:00:a0:98
port 4:id N2 Online    f-Port 50:00:a0:98:ff:40:a0:98
port 5:id N2 Online    f-Port 10:0a:09:80:c9:50:52:8c
port 6:id N2 Online    f-Port 20:a0:98:00:c9:42:7b:29
port 7:id N2 Online    f-Port 50:0a:09:81:83:e1:52:d9
```

The NetApp OUI is 00:A0:98

Given the information shown in the diagram, which port has a NetApp device attached to it?

- A. port 3
- B. port 5
- C. port 6
- D. port 7

Correct Answer: D



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/ns0-502.html>

2024 Latest pass4itsure NS0-502 PDF and VCE dumps Download

[NS0-502 PDF Dumps](#)

[NS0-502 Exam Questions](#)

[NS0-502 Braindumps](#)