



# NS0-504<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Cluster-Mode

## Pass NetApp NS0-504 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-504.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Host multi-pathing describes a \_\_\_\_\_ solution that has at least two distinct \_\_\_\_\_ paths to a LUN.

- A. Token ring, physical
- B. FC SAN, virtual
- C. FC or IP SAN, virtual
- D. FC or IP SAN, Physical

Correct Answer: D

---

### QUESTION 2

If the security style is set to UNIX, CIFS client file access is determined by \_\_\_\_\_.

- A. NT ACLs
- B. the last client to set permissions
- C. the mapped UNIX UID/GID of the CIFS client and the UNIX file permissions
- D. This is not allowed: A CIFS client cannot access files in a path set to a security style of UNIX

Correct Answer: C

---

### QUESTION 3

Which three /etc/snapmirror.conf entries will support synchronous or semi-synchronous SnapMirror?

- A. FilerA:source\_vol FilerB:destination\_vol visibility\_interval = 1hr, outstanding = 3ms, cksum=crc32 syns
- B. FilerA:source\_vol FilerB:destination\_vol 0-55/5 \* \* \*
- C. FilerA:source\_vol FilerB:destination\_vol sync
- D. FilerA:source\_vol FilerB:destination\_vol outstanding=3s sync

Correct Answer: ACD

---

### QUESTION 4

How must licenses for block protocols be installed? (Choose two.)

- A. Licenses must be installed only on clusters that do not have any NAS protocols (such as NFS or CIFS) installed.
- B. Licenses must be installed only on clusters with the supported number of nodes or fewer.



C. Licenses must be installed for the entire cluster.

D. Licenses must be installed on each node in the cluster that will serve data via a block protocol.

Correct Answer: CD

---

#### QUESTION 5

What are two defaults for a new Data ONTAP 8.1 system root aggregate? (Choose two.)

A. 32-bit

B. 64-bit

C. 0% aggr reserve

D. 5% aggr reserve

Correct Answer: BC

[NS0-504 VCE Dumps](#)

[NS0-504 Practice Test](#)

[NS0-504 Exam Questions](#)