

# NS0-506<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN, Clustered Data ONTAP

# Pass NetApp NS0-506 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/ns0-506.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.pass4itsure.com/ns0-506.html

2024 Latest pass4itsure NS0-506 PDF and VCE dumps Download

#### **QUESTION 1**

Which command enables the FC protocol on clustered Data ONTAP?

A. vserverfpolicy enable -vserver -policy name -sequence number

B. vserverfcp create -vserver -status -adain up

C. node run node fcadmincongig -e

D. vserveriscsi create-vserver -target -alias

Correct Answer: B

#### **QUESTION 2**

A customer is configuring their host for FC connectivity to a clustered Data ONTAP storage solution. They have installed a 4 GB FC HBA into the host and connected it with optical cables to an 8 GB FC switch. They have also connected the UTA2 ports from the FAS2552 with 16 GB SFP+ optics installed using optical cables to the switch.

Which two actions will improve host FCP throughput? (Choose two.)

A. replacing the existing 8 GB FC switch with a new 16 GB FC switch.

B. replacing the switch with a 10 GB Ethernet switch

C. adding 16 GB FC HBA and appropriate optics

D. replacing the optical cables with copper TwinAx cables.

Correct Answer: BC

#### **QUESTION 3**

#### Exhibit

cl01-01::>vol show -vserver svm1 volume v\_iscsi\_exch01 Vserver Name: svm1 Volume Name: v\_iscsi\_exch01 Aggregate Name: a1\_cl01\_sas Volume Size: 5 GB Volume State: online Volume Type: RW Volume Style: flex Available Size: 4.75GB Filesystem Size: 5GB Total User-Visible Size:

4.75 GB Used Size: 144 KB Used Percentage: 5% Volume Nearly Full Treshold Percent: 95% Volume Full Treshold Percent: 98% Maximum Autosize (for flexvolvs only): 6GB (DEPRECATED) -Autosize Increment (for flexvolvs only): 256MB Minimum Autosize: 5GB

Autosize Grow Threshold Percentage: 85% Autosize Shrink Threshold Percentage: 50% Autosize Mode: off Autosize Enabled (for flexvolvs only): false Space Guarantee Style: volume Space Guarantee in Effect: true Snapshot Directory Access Enabled: true Space Reserved for Snapshot Copies: 5% Snapshot Reserve Used: 0% Snapshot Policy: none Node name: cl01-01 Reserved Space for Overwrites: 0B Fractional Reserve: 100% Primary Space Management Strategy: volume\_grow Total Physical Used Size: 144KB Physical Used Percentage: 0%

A customer has a volume with the configuration shown in the exhibit.



### https://www.pass4itsure.com/ns0-506.html

2024 Latest pass4itsure NS0-506 PDF and VCE dumps Download

What will happen if the volume vs\_iscsi\_exch01 reaches 85% used?

- A. The volume will delete snapshots until 20% is free in the volume.
- B. The volume will automatically grow up to 6 GB.
- C. The volume will no longer be accessible from the host.
- D. The volume will continue working as expected.

Correct Answer: D

#### **QUESTION 4**

In a 4-node cluster, how many LIFs are required on each node to allow a host to use ALUA and have multiple optimized paths to each LUN?

- A. 1
- B. 2
- C. 4
- D. 6

Correct Answer: B

#### **QUESTION 5**

You have a new FAS8080EX 2-node cluster. The FC switch ports connected to the onboard UTA2 ports will not come online.

Which two node-based issues would case the problem? (Choose two.)

- A. The UTA2 ports are set to target.
- B. The UTA2 ports have 10 GB SFP+ optics installed.
- C. The UTA2 ports have 16 GB SFP+ optics installed.
- D. The UTA2 ports are in cna mode.

Correct Answer: D

NS0-506 VCE Dumps

NS0-506 Study Guide

NS0-506 Braindumps