



NS0-509^{Q&As}

NetApp Certified Implementation Engineer - SAN - ONTAP

Pass NetApp NS0-509 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-509.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```
::> volume show
```

Vserver	Volume	Aggregate	State	Type	Size	Available	Used%
svm_fcpl	moved_parent_temp_1033_100_vol1	node_01_aggr1	offline	TMP	1TB	-	-
svm_fcpl	vol1	node_02_aggr1	online	RW	1TB	19.31GB	1%
svm_fcpl	vol1_clone1	node_01_aggr1	online	RW	1TB	19.28GB	1%
svm_fcpl	vol1_clone2	node_01_aggr1	online	RW	1TB	19.28GB	1%
svm_fcpl	vol1_clone3	node_01_aggr1	online	RW	1TB	19.28GB	1%

You notice that your volume named vol1 has a temporary volume that is doubling the space that is used by the volume.

In this scenario, which operation caused the volume to take up twice the space?

- A. FlexClone
- B. SnapRestore
- C. FlexGroup
- D. SnapMirror

Correct Answer: D

Reference: <https://community.netapp.com/t5/Data-ONTAP-Discussions/Volume-takes-much-more-spacethan-expected/td-p/100619>

QUESTION 2

You use iSCSI to present a LUN to a newly installed Windows 2016 Server. You have created the volume and LUN on the NetApp cluster. When you perform a hardware rescan on the Windows host, you cannot see the newly presented storage.


What are three reasons for this problem? (Choose three.)

- A. The protocol has not been enabled on the NetApp cluster.
- B. You need to add the IQN of the Windows host to the newly created LUN.
- C. The IQN of the Windows host is not included in the igroup for the new LUN.
- D. The wrong igroup has been associated with the new LUN.
- E. The volume has not been enabled for iSCSI access.

Correct Answer: ABD

**QUESTION 3**

Exhibit.



```
>> network interface show -vserver svm1 -fields data-protocol

vserver lif      data-protocol
-----
svm1    fc_lif1      fcp
svm1    iscsi_lif1  iscsi

2 entries were displayed.
```

You need to configure the SnapCenter Plug-in for VMware vSphere to back up and restore VMware datastores.

Referring to the exhibit, which additional LIF type should you create before you configure the plug-in?

- A. intercluster
- B. node management
- C. SVM management
- D. cluster management

Correct Answer: C

QUESTION 4

You currently have a FAS8200 with ONTAP 9.5. You want to expand the front end FC I/O capabilities. However, you are unsure which target adapters are supported.

What would you use to confirm which adapters are supported with your current configuration?

- A. Hardware Universe (HWU)
- B. Upgrade Advisor
- C. OneCollect
- D. Interoperability Matrix Tool (IMT)

Correct Answer: A

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2495115

QUESTION 5

Changes to your organization requires access to an SVM be given to a group of individuals. Your company uses Active Directory as a method of access control. You decide to use the security login create -vserver engCluster - user-or-group-name CORP\Admins -application ssh -authmethod domain -role vsadmin command.

In this scenario, which access rights will this command grant?



- A. read only rights to the SVM engCluster for Active Directory group CORP
- B. vsadmin rights to the SVM engCluster for Active Directory group CORP\Admins
- C. vsadmin rights to the SVM CORP for Active Directory group CORP\Admins
- D. vsadmin rights to the SVM engCluster for Active Directory group CORP

Correct Answer: B

[NS0-509 PDF Dumps](#)

[NS0-509 Study Guide](#)

[NS0-509 Exam Questions](#)