



# NS0-520<sup>Q&As</sup>

NetApp Certified Implementation Engineer - SAN ONTAP

## Pass NetApp NS0-520 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-520.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A customer is expanding an ONTAP 9.4 switchless 2-node FAS2750 cluster. Two AFF A220 nodes will be added to the cluster. In addition to the cluster nodes, what else is required to perform the cluster expansion?

- A. Additional management switches are required.
- B. An upgrade to ONTAP 9.5 is required.
- C. Cluster switches are required.
- D. Additional DS224C shelves are needed.

Correct Answer: A

---

**QUESTION 2**

A customer has multiple host applications that require FC block storage. You need to gather and validate the customer's requirements for a supported NetApp solution. Which two tools would be used to accomplish this task? (Choose two.)

- A. Interoperability Matrix Tool (IMT)
- B. OneCollect
- C. Config Advisor
- D. Hardware Universe (HWU)

Correct Answer: AD

Reference: <https://www.netapp.com/us/technology/interop.aspx>

---

**QUESTION 3**

A company wants to use jumbo frames in their Ethernet network. They should set the packet size to which industry conventional value?

- A. 1200
- B. 1500
- C. 9000
- D. 12000

Correct Answer: C

---

**QUESTION 4**



When booting your NetApp storage system for the first time the system fails to boot.

What should you do first to address this problem?

- A. You turn off your storage system and disk shelves, and then turn on the disk shelves. You then check the quick reference card that came with the disk shelf for information about LED responses.
- B. You re-download the boot image to the compact flash card, then reboot the system.
- C. You look for a description of the problem on the LCD and console. You then follow the instructions, if provided, on the LCD and console.
- D. You verify disk shelf compatibility and check the disk shelf IDs to verify that the disk shelf 1 (for DS14 series) must be connected to your system.

Correct Answer: C

---

#### QUESTION 5

You are planning to expand a SAN-only ONTAP 9.5 cluster that consists of eight AFF A700 nodes. In this scenario, what is the maximum number of additional AFF A700 nodes that would be added?

- A. 2
- B. 4
- C. 8
- D. 0

Correct Answer: B

[Latest NS0-520 Dumps](#)

[NS0-520 PDF Dumps](#)

[NS0-520 Braindumps](#)