



NS0-520^{Q&As}

NetApp Certified Implementation Engineer - SAN ONTAP

Pass NetApp NS0-520 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-520.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which formula is appropriate for calculating target port Queue Depth?

- A. The number of LIFs using a physical port * 256
- B. The sum of the Queue Depth setting for all hosts using a physical port
- C. The number of LIFs using the physical port * Maximum Host HBA Queue Depth setting
- D. The number of physical ports * 2048

Correct Answer: C

QUESTION 2

While expanding a 200 GB LUN in an ONTAP 9.4 system, the following error is observed:

```
cluster1::*> lun resize -path /vol/lun_vol/lun -size +3T  
Error: command failed: New size exceeds this LUN's initial geometry
```

What is the cause of this error?

- A. The volume auto-grow is disabled.
- B. The LUN reached maximum capacity.
- C. The LUN can be expanded up to 10 times its original size.
- D. Space reservation is enabled.

Correct Answer: A

QUESTION 3

Which two components must be verified for a supported NetApp SAN configuration? (Choose two.)

- A. host memory
- B. host GPU
- C. host multipath
- D. host bus adapter

Correct Answer: CD

**QUESTION 4**

You create a new iSCSI SVM and secure iSCSI sessions by using both Challenge- Handshake Authentication Protocol (CHAP) and iSCSI Access Control Lists (ACL). In this scenario, in which two ways are you securing your iSCSI implementation? (Choose two.)

- A. CHAP creates a hash value for the username and shared secret.
- B. iSCSI ACLs are applied to the initiator configuration to provide an IP address of the targets.
- C. CHAP encrypts all iSCSI session I/O.
- D. iSCSI ACLs are applied to the target configuration to provide an IP address of the initiators.

Correct Answer: AD

QUESTION 5

You create a 20 GB LUN in a newly created 100 GB FlexVol volume. You then write 5 GB of data to the LUN. You have space reservation disabled on the LUN. In this scenario, how much space do you have left on the volume?

- A. 95 GB
- B. 80 GB
- C. 75 GB
- D. 85 GB

Correct Answer: A

Reference: <https://library.netapp.com/ecmdocs/ECMP1368017/html/GUID-0E0B085C-5A42-43F3-9CCD-4FD699BA6C89.html>

[NS0-520 PDF Dumps](#)

[NS0-520 Study Guide](#)

[NS0-520 Exam Questions](#)