NS0-526 Q&As

NetApp Certified Implementation Engineer - Data Protection

Pass NCIE-Data Protection NS0-526 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/ns0-526.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NCIE-Data Protection Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

You are monitoring data protection relationships of type XDR using OnCommand System Manager running ONTAP 9.5. In the GUI, you click Protection -> Volume Relationships.

In this scenario, which status in the Relationship State field must be displayed to ensure that the relationships are working as expected?

A. SnapMirrored

B. Uninitialized

C. InSync

D. Quiesced

Correct Answer: C

QUESTION 2

The customer has experienced a disaster at their primary data center. You have implemented a SnapMirror relationship to meet their needs. You have performed the steps to make the destination volume read/write accessible to the clients.

Which three actions should your considerdoing while the customer makes the necessary repairs to their data center?

(Choose three.)

A. Implement a Snapshot copy schedule on the destination volume.

B. Delete all Snapshot copies on the destination volume in preparation for a resynchronize operation.

C. Verify that the destination volume has the same settings as the source volume for compression.

D. Verify that the destination volume has the same settings as the source volume for deduplication.

E. Delete all Snapshot copies on the source volume inpreparation for a resynchronize operation.

Correct Answer: ACD

QUESTION 3

In a MetroCluster IP configuration, which two network portsmust be connected to dedicated switches? (Choose two.)

A. the port associated with the cluster LIF

B. the port associated with the node management LIF

C. the port associated with the intercluster LIF

D. the port associated with the MetroCluster IP LIF

Correct Answer: AB

QUESTION 4

A customer is running clustered Data ONTAP on primary and secondary clusters. The customer is using SnapVault to back up volumes between the clusters.

The customer has good Data ONTAP7-Mode knowledge and needs to set up two new SnapVault relationships between the clusters on a weekly schedule.

Which solution would you recommend to satisfy this requirement?

A. Use the node shell command line interface.

B. Use the system shell command line interface.

C. Use OnCommand Workflow Automation.

D. Use OnCommand System Manager.

Correct Answer: D

QUESTION 5

A customer wants tochange a SnapMirror replication schedule to update more frequently. They have 25 GB of data per update to be replicated along a single 1 Gbps Ethernet link.

In this scenario, what is the minimum amount of time required between SnapMirror updates?

A. 20 minutes

B. 200 minutes

C. 3 minutes

D. 5 minutes

Correct Answer: A

NS0-526 VCE Dumps NS0-526 Exam Questions NS0-526 Braindumps