



NS0-527^{Q&As}

NetApp Certified Implementation Engineer - Data Protect

Pass NetApp NS0-527 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-527.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

Volume Relationships								
+ Create	Edit	Delete	Operations	Refresh				
Source Storage Vi...	Source Volume	Destination V...	Destination Sto...	Is Healthy	Relation....	Transfer....	Relationshi...	Lag Time
swm_fabricpool	demo_volume	demo_volume_dest	swm_fabricpool	Yes	Snapmirror...	Idle	Asynchrono...	14hr(s) 26 ...
swm_fabricpool	demo_volume	demo_volume_DR	swm_fabricpool	Yes	Snapmirror...	Idle	Asynchrono...	31 mins(s)
swm_fabricpool	project_a	project_a_dest	swm_fabricpool	Yes	Snapmirror...	Idle	Asynchrono...	31 mins(s)
swm_fabricpool	project_b	project_b_dest	swm_fabricpool	Yes	Snapmirror...	Idle	Asynchrono...	31 mins(s)
swm_fabricpool	project_c	project_bsnapvau...	swm_jlantz	Yes	Snapmirror...	Idle	Asynchrono...	31 mins(s)

A customer wants to ensure that their volumes are protected. In ONTAP System Manager, under the Protection section, you see the screen that is shown in the exhibit. The company has an asynchronous mirror policy of less than a 60-minute lag.

Referring to the exhibit, which volume has a lag that exceeds the company policy?

- A. svm_fabricpool:demo_volume -> svm_fabricpool:demo_volume_dest
- B. svm_fabricpool:project_a -> svm_fabricpool:project_a_dest
- C. svm_fabricpool:demo_volume -> svm_fabricpool:demo_volume_DR
- D. svm_fabricpool:project_b -> svm_fabricpool:project_b_dest

Correct Answer: C

QUESTION 2

You recently set up a SnapMirror relationship with a daily update schedule. You want to verify that the updates are being performed daily.

Which two actions inside OnCommand System Manager would you ensure that the SnapMirror transfers are occurring daily? (Choose two.)

- A. In the Jobs window, verify that all manual Snapshot copy operations have completed in the past 24 hours.
- B. In the Jobs window, verify that all SnapMirror jobs have completed within the past 24 hours.
- C. In the Relationships window, verify that the relationship state was broken in the past 24 hours.
- D. In the Relationships window, verify that the lag time is less than 24 hours.

Correct Answer: BD

QUESTION 3



You have deployed IntelliSnap to list NetApp Snapshot copies in volumes on your ONTAP system, schedule new backups on unprotected volumes, and implement archiving to your remote AltaVault system.

Which additional NetApp product does IntelliSnap require to perform all of these actions?

- A. OnCommand Insight
- B. OnCommand Unified Manager
- C. OnCommand System Manager
- D. OnCommand Performance Manager

Correct Answer: B

QUESTION 4

An administrator notices that a NAS volume has been filled completely by active data and Snapshot copies that have expanded over the Snap reserve. The volume is no longer writable.

In this scenario, which two actions must you take to make the volume writable again? (Choose two.)

- A. Delete Snapshot copies until space is available.
- B. Delete the files in the active file system.
- C. Delete the SnapMirror relationships.
- D. Delete the SnapVault relationships.

Correct Answer: AD

QUESTION 5

Click the Exhibit button.



Supported Adapter Cards - FAS9000 (Single Chassis HA Pair (FAS9000A)) 9.5 ONTAP

Priority	Category	Bus Type	Mktg Part No.	Mfg Part No	Description	Optional Module	Supported Speed(s)	Min ONTAP	Max Qty	Priority Slot Assignment
1	NVRAM	IO Module	X93140A	111-03190	NVRAM10 32GB	Not supported		9.1RC2, 9.2RC1 9.3RC1, 9.4RC1, 9.5RC1.	1	6
2	Networking	IO Module	X91440A	111-02590	2p 40GbE NIC Cu Op	OSPF Optional	ETH: 10/40 Gbps	9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	8	4, 6, 9, 1, 10, 2, 11, 3, 7, 5
3	Block Access	IO Module	X91135A	111-03789	4p 32Gb FC SFP+Op	SFP+ Included	FC: 8/16/32 Gbps FC-NVMe: 16/32 Gbps	9.3RC1, 9.4RC1, 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 8
4	Block Access	IO Module	X91134A	111-03431	2 p 32Gb FC Op	SFP+ Included	FC: 8/16/32 Gbps FC-NVMe: 16/32 Gbps	9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
5	Performance Acceleration	IO Module	X9170A	111-00421	Flash Cache.1.0TB NVMe, Module	Not supported		9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	2	61, 62
6	Performance Acceleration	IO Module	X9172A	108-00423	Flash Cache.4.0TB NVMe, Module	Not supported		9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	2	61, 62
7	Block Access	IO Module	X91143A	111-02397	4p 16Gb 10Gb UTA2 Cu Op	SFP+ Optional	ETH: 1/10 Gbps FC: 4/8/16 Gbps	9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
8	Networking	IO Module	X91143A	111-02397	4p 16Gb 10Gb UTA2 Cu Op	SFP+ Optional	ETH: 1/10 Gbps FC: 4/8/16 Gbps	9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
9	Networking	IO Module	X91120A	111-02399	4p 10GBASE-T NIC	Not supported	ETH: 1/10 Gbps	9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
10	Storage	IO Module	X91135A	111-03789	4p 32Gb FC SFP+ Op	SFP+ Included	FC: 8/16/32 Gbps FC-NVMe: 16/32 Gbps	9.3RC1, 9.4RC1, 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 8
11	Storage	IO Module	X91143A	111-02397	4p 16 Gb 10Gb UTA2 Cu Op	SFP+ Optional	ETH: 1/10 Gbps FC: 4/8/16 Gbps	9.1RC2, 9.2RC1, 9.3RC1, 9.4RC1, 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8

A customer needs to add an additional X91143A card into a FAS9000 to allow mirroring between the production system and the disaster recovery FAS9000 platform. Slots 1, 4, 6, 8, and 9 have cards in them. Referring to the exhibit, in which slot should you install the card?

- A. 5
- B. 10
- C. 3
- D. 7

Correct Answer: D