



# NS0-527<sup>Q&As</sup>

NetApp Certified Implementation Engineer - Data Protect

## Pass NetApp NS0-527 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-527.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two statements are correct about configuring a peering connection between clusters? (Choose two.)

- A. The LIFs should be on the same subnet.
- B. You must use at least one intercluster LIF per node.
- C. You must use one cluster LIF per node per network.
- D. The intercluster LIFs must have full connectivity to each other.

Correct Answer: BD

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-csp%2FGUID-0F81B700-7B79-456F-9C89-3A7D6451AEB6.html>

---

### QUESTION 2

Click the Exhibit button.



aff::> cluster peer ping

Node: aff-01

Destination Cluster: aff

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
------------------	------------	-------	-----	---------	--------

aff-01	10.193.67.58	1	64	0.053	interface_reachable
aff-01	192.168.89.100	1	64	0.061	interface_reachable
aff-02	10.193.67.60	1	64	0.173	interface_reachable
aff-02	192.168.89.101	1	64	0.428	interface_reachable

Node: aff-01

Destination Cluster: ontap9-tme-8040

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
------------------	------------	-------	-----	---------	--------

ontap9-tme-8040-01	192.168.90.200	1	63	0.602	interface_reachable
ontap9-tme-8040-02	192.168.90.201	1	63	0.584	interface_reachable

Node: aff-01

Destination Cluster: tme-ontap-prd

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
------------------	------------	-------	-----	---------	--------

tme-ontap-prd-01	10.193.67.21	1	64	0.174	interface_reachable
tme-ontap-prd-02	10.193.67.22	1	64	0.17	interface_reachable

Node: aff-02

Destination Cluster: aff

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
------------------	------------	-------	-----	---------	--------

aff-01	10.193.67.58	1	64	0.178	interface_reachable
aff-01	192.168.89.100	1	64	0.188	interface_reachable
aff-02	10.193.67.60	1	64	0.054	interface_reachable
aff-02	192.168.89.101	1	64	0.057	interface_reachable

Node: aff-02

Destination Cluster: ontap9-tme-8040

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
------------------	------------	-------	-----	---------	--------

ontap9-tme-8040-01	192.168.90.200	1	63	0.569	interface_reachable
ontap9-tme-8040-02	192.168.90.201	1	63	0.627	interface_reachable

Node: aff-02

Destination Cluster: tme-ontap-prd

Destination Node	IP Address	Count	TTL	RTT(ms)	Status
------------------	------------	-------	-----	---------	--------

tme-ontap-prd-01	10.193.67.21	1	64	0.179	interface_reachable
tme-ontap-prd-02	10.193.67.22	1	64	0.177	interface_reachable

16 entries were displayed.

You are asked to set up aSnapMirror relationship to protect some Oracle DB volumes on both nodes of the aff-01 and aff-02 clusters. You are using the 1 Gb network and the other nodes all have free space to support the mirror. Referring to the exhibit, which two nodes would provide the least network transfer time for the relationship? (Choose two.)

A. aff-01 to tme-ontap-prd-01



- B. aff-02 to tme-ontap-prd-02
- C. aff-02 to ontap9-tme-8040-02
- D. aff-02 to ontap9-tme-8040-01

Correct Answer: BC

---

### QUESTION 3

Your backup cluster reached both the maximum number of parallel replication transfers and the maximum number of FlexVol volumes per node. You need to increase these maximum numbers. In this scenario, which license you would install on the destination to accomplish this task?

- A. SnapRestore License
- B. SnapMirror Sync License
- C. Data Protection Optimized License
- D. SnapVault License

Correct Answer: B

Reference: <https://library.netapp.com/ecmdocs/ECMP1608428/html/GUID-5C697C7D-FB33-4F4F-8CC4-A8646CD7561B.html>

---

### QUESTION 4

Using ONTAPSystem Manager, you are asked to replicate all the volumes contained in a Storage VM to a remote ONTAP 9.7 system for quick disaster recovery. Which two steps need to be completed to accomplish this task? (Choose two.)

- A. Create a SnapMirror relationship for each volume.
- B. Create a cluster peering relationship.
- C. Create an SVM-DR relationship.
- D. Create an SVM peering relationship.

Correct Answer: BD

---

### QUESTION 5

You are asked to provision some new storage for VMware. Which two tools are available to perform this task? (Choose two.)

- A. OnCommand Insight
- B. Virtual Storage Console



C. ONTAP System Manager

D. SnapCenter Plug-in for VMware vSphere

Correct Answer: BC

Reference: [https://docs.netapp.com/us-en/ontap/task\\_san\\_provision\\_vmware.html](https://docs.netapp.com/us-en/ontap/task_san_provision_vmware.html)

[Latest NS0-527 Dumps](#)

[NS0-527 Practice Test](#)

[NS0-527 Braindumps](#)