



NS0-527^{Q&As}

NetApp Certified Implementation Engineer - Data Protect

Pass NetApp NS0-527 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/ns0-527.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

Supported Adapter Cards - FAS9000 (Single Chassis HA Pair (FAS9000A)) 9.5 ONTAP

Priority	Category	Bus Type	Mktg Part No.	Mfg Part No	Description	Optional Module	Supported Speed(s)	Min ONTAP	Max Qty	Priority Slot Assignment
1	NVRAM	IO Module	X93140A	111-03190	NVRAM10 32GB	Not supported		9.1RC2. 9.2RC1 9.3RC1. 9.4RC1. 9.5RC1.	1	6
2	Networking	IO Module	X91440A	111-02590	2p 40GbE NIC Cu Op	OSPF Optional	ETH: 10/40 Gbps	9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	8	4, 6, 9, 1, 10, 2, 11, 3, 7, 5
3	Block Access	IO Module	X91135A	111-03789	4p 32Gb FC SFP+Op	SFP+ Included	FC: 8/16/32 Gbps FC-NVMe: 16/32 Gbps	9.3RC1. 9.4RC1. 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 8
4	Block Access	IO Module	X91134A	111-03431	2 p 32Gb FC Op	SFP+ Included	FC: 8/16/32 Gbps FC-NVMe: 16/32 Gbps	9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
5	Performance Acceleration	IO Module	X9170A	111-00421	Flash Cache.1.0TB NVMe, Module	Not supported		9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	2	61, 62
6	Performance Acceleration	IO Module	X9172A	108-00423	Flash Cache.4.0TB NVMe, Module	Not supported		9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	2	61, 62
7	Block Access	IO Module	X91143A	111-02397	4p 16Gb 10Gb UTA2 Cu Op	SFP+ Optional	ETH: 1/10 Gbps FC: 4/8/16 Gbps	9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
8	Networking	IO Module	X91143A	111-02397	4p 16Gb 10Gb UTA2 Cu Op	SFP+ Optional	ETH: 1/10 Gbps FC: 4/8/16 Gbps	9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
9	Networking	IO Module	X91120A	111-02399	4p 10GBASE-T NIC	Not supported	ETH: 1/10 Gbps	9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8
10	Storage	IO Module	X91135A	111-03789	4p 32Gb FC SFP+ Op	SFP+ Included	FC: 8/16/32 Gbps FC-NVMe: 16/32 Gbps	9.3RC1. 9.4RC1. 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 8
11	Storage	IO Module	X91143A	111 02397	4p 16 Gb 10Gb UTA2 Cu Op	SFP+ Optional	ETH: 1/10 Gbps FC: 4/8/16 Gbps	9.1RC2. 9.2RC1. 9.3RC1. 9.4RC1. 9.5RC1.	8	9, 1, 10, 2, 11, 3, 7, 5, 8

A customer needs to add an additional X91143A card into a FAS9000 to allow mirroring between the production system and the disaster recovery FAS9000 platform. Slots 1, 4, 6, 8, and 9 have cards in them. Referring to the exhibit, in which slot should you install the card?

- A. 5
- B. 10
- C. 3
- D. 7

Correct Answer: D

QUESTION 2

You experience a node outage as a result of a component failure in a high-availability (HA) pair. You replace the failed component and get the node booted up again, but are unable to perform the giveback operation. The onscreen error is:

"Connected to partner, Takeover is not possible: Storage failover mailbox disk state is invalid, Local node has encountered errors while reading the storage failover partner's mailbox disks. Local node missing partner disks"

What are two ways to solve this problem? (Choose two.)

- A. Correct the shelf cabling errors.



- B. Destroy the root aggregate.
- C. Correct the failover group configuration.
- D. Destroy the mailboxes on both nodes.

Correct Answer: AC

QUESTION 3

You are the administrator of an ONTAP 9.7 cluster. You configured an hourly Snapshot schedule for all volumes. One of your users accidentally deleted an important spreadsheet file on an SMB share. This file must be restored within a minimum amount of time.

Which two actions satisfy this requirement? (Choose two.)

- A. On the cluster CLI, issue the volume clone restore command.
- B. On the cluster CLI, issue the volume snapshot restore-file command.
- C. In Windows Explorer, right-click on the SMB share where the file was deleted, goto "Previous Versions" and select the file, then copy it to the original location.
- D. In ONTAP System Manager, navigate to the volume where the share resides, click on "Snapshot Copies" and restore the latest Snapshot copy.

Correct Answer: BC

QUESTION 4

A customer wants to assign a user to a build-in SnapCenter RBAC Role that will allow them to review and start existing SnapMirror processes only. In this scenario, which Role will allow the customer to accomplish this task?

- A. App Backupand Clone Admin
- B. Infrastructure Admin
- C. Backup and Clone Viewer
- D. SnapCenter Admin

Correct Answer: D

QUESTION 5

Your customer wants to ensure that the SnapMirror relationships are easily managed in a bidirectional, multi-cluster environment. Which version of clustered Data ONTAP would you recommend?



- A. clustered Data ONTAP 9.1
- B. clustered Data ONTAP 8.2.3
- C. clustered Data ONTAP 8.3
- D. clustered Data ONTAP 8.1.4

Correct Answer: A

[NS0-527 PDF Dumps](#)

[NS0-527 Practice Test](#)

[NS0-527 Braindumps](#)