



NSE5_FMG-6.0^{Q&As}

Fortinet NSE 5 - FortiManager 6.0

Pass Fortinet NSE5_FMG-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse5_fmg-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

View the following exhibit.



Starting Log (Run the device)

Start installing

```
Local-FortiGate $ config user device
```

```
Local-FortiGate (device) $ edit "mydevice"
```

```
new entry 'mydevice' added
```

```
Local-FortiGate (mydevice) $ next
```

```
MAC address can not be 0
```

```
Node_check_object fail!for mac 00:00:00:00:00:00
```

```
Attribute 'mac' value '00:00:00:00:00:00' checkingfail -33
```

```
Command fail. Return code 1
```

```
Local-FortiGate (device) $ end
```

```
...
```

```
Local-FortiGate $ config firewall policy
```

```
Local-FortiGate (policy) $ edit 2
```

```
New entry '2' added
```

```
Local-FortiGate (2) $ set name "Device_policy"
```

```
Local-FortiGate (2) $ set uuid 64...
```

```
Local-FortiGate (2) $ set srcintf "port3"
```

```
Local-FortiGate (2) $ set dstintf "port1"
```

```
Local-FortiGate (2) $ set srcaddr "all"
```

```
Local-FortiGate (2) $ set dstaddr "all"
```

```
Local-FortiGate (2) $ set action accept
```

```
Local-FortiGate (2) $ set schedule "always"
```

```
Local-FortiGate (2) $ set service "ALL"
```

```
Local-FortiGate (2) $ set devices "mydevice"
```

```
Entry not found in datasource
```

```
Value parse error before 'mydevice'
```

```
Command fail. Return code -3
```

```
Local-FortiGate (2) $ set nat enable
```

```
Local-FortiGate (2) $ next
```

```
Local-FortiGate (policy) $ end
```

```
...
```




Which statement is true regarding this failed installation log?

- A. Policy ID 2 is installed without a source address
- B. Policy ID 2 will not be installed
- C. Policy ID 2 is installed in disabled state
- D. Policy ID 2 is installed without a source device

Correct Answer: D

QUESTION 2

View the following exhibit.



Based on the configuration setting, which one of the following statements is true?

- A. The setting allows automatic updates to the policy package configuration for a managed device
- B. The setting enables the ADOMs feature on FortiManager
- C. This setting allows you to assign different VDOMs from the same FortiGate to different ADOMs.
- D. The setting disables concurrent ADOM access and adds ADOM locking

Correct Answer: C

QUESTION 3

An administrator is unable to log in to FortiManager. Which one of the following troubleshooting step should you take to resolve the issue?

- A. Make sure FortiManager Access is enabled in the administrator profile
- B. Make sure Offline Mode is disabled



C. Make sure the administrator IP address is part of the trusted hosts.

D. Make sure ADOMs are enabled and the administrator has access to the Global ADOM

Correct Answer: C

QUESTION 4

As a result of enabling FortiAnalyzer features on FortiManager, which of the following statements is true?

A. FortiManager will reboot

B. FortiManager will send the logging configuration to the managed devices so the managed devices will start sending logs to FortiManager

C. FortiManager will enable ADOMs automatically to collect logs from non-FortiGate devices

D. FortiManager can be used only as a logging device.

Correct Answer: A

QUESTION 5

When installation is performed from the FortiManager, what is the recovery logic used between FortiManager and FortiGate for an FGFM tunnel?

A. After 15 minutes, FortiGate will unset all CLI commands that were part of the installation that caused the tunnel to go down.

B. FortiManager will revert and install a previous configuration revision on the managed FortiGate.

C. FortiGate will reject the CLI commands that will cause the tunnel to go down.

D. FortiManager will not push the CLI commands as a part of the installation that will cause the tunnel to go down.

Correct Answer: C

[NSE5_FMG-6.0 VCE Dumps](#)

[NSE5_FMG-6.0 Practice Test](#)

[NSE5_FMG-6.0 Braindumps](#)