VCE & PDF
Pass4itSure.com

NSE5_FMG-7.0^{Q&As}

Fortinet NSE 5 - FortiManager 7.0

Pass Fortinet NSE5_FMG-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse5_fmg-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

🔧 **Instant Download** After Purchase

🔧 **100% Money Back** Guarantee

🔧 **365 Days** Free Update

🔧 **800,000+** Satisfied Customers

QUESTION 1

View the following exhibit.

If both FortiManager and FortiGate are behind the NAT devices, what are the two expected results? (Choose two.)

A. FortiGate is discovered by FortiManager through the FortiGate NATed IP address.

B. FortiGate can announce itself to FortiManager only if the FortiManager IP address is configured on FortiGate under central management.

C. During discovery, the FortiManager NATed IP address is not set by default on FortiGate.

D. If the FCFM tunnel is torn down, FortiManager will try to re-establish the FGFM tunnel.

Correct Answer: AC

Fortimanager can discover FortiGate through a NATed FortiGate IP address. If a FortiManager NATed IP address is configured on FortiGate, then FortiGate can announce itself to FortiManager. FortiManager will not attempt to re-establish the FGFM tunnel to the FortiGate NATed IP address, if the FGFM tunnel is interrupted. Just like it was in the NATed FortiManager scenario, the FortiManager NATed IP address in this scenario is not configured under FortiGate central management configuration.

QUESTION 2

Refer to the exhibit.

You are using the Quick Install option to install configuration changes on the managed FortiGate. Which two statements correctly describe the result? (Choose two.)

A. It will not create a new revision in the revision history

B. It installs device-level changes to FortiGate without launching the Install Wizard

C. It cannot be canceled once initiated and changes will be installed on the managed device

D. It provides the option to preview configuration changes prior to installing them

Correct Answer: BC

FortiManager_6.4_Study_Guide-Online ?page 164

The Install Config option allows you to perform a quick installation of device-level settings without launching the Install Wizard. When you use this option, you cannot preview the changes prior to committing. Administrator should be certain of the changes before using this install option, because the install can\\'t be cancelled after the process is initiated.

QUESTION 3

View the following exhibit.

Edit Address

Address Name

Training

Type

IP/Netmask

IP/Network

192.168.1.0/255.255.255.255.0

Interface

any

Static Route Configuration

OFF

Comments

0/255

Add to Groups

Click to add

Advanced Options >

Per-Device Mapping

ON

+ Add   Edit   Delete

	Name	VDOM	Details
	Local-FortiGate	root	IP/Netmask10.0.10/255.255.255.0

An administrator has created a firewall address object, Training, which is used in the Local-FortiGate policy package. When the install operation is performed, which IP Netmask will be installed on the Local-FortiGate, for the Training firewall address object?

A. 10.0.1.0/24

B. It will create firewall address group on Local-FortiGate with 192.168.0.1/24 and 10.0.1.0/24 object values

C. 192.168.0.1/24

D. Local-FortiGate will automatically choose an IP Network based on its network interface settings.

Correct Answer: A

QUESTION 4

An administrator would like to authorize a newly-installed AP using AP Manager. What steps does the administrator need to perform to authorize an AP?

A. Authorize the new AP using AP Manager and wait until the change is updated on the FortiAP. Changes to the AP\\'s state do not require installation.

B. Changes to the AP\\'s state must be performed directly on the managed FortiGate.

C. Authorize the new AP using AP Manager and install the policy package changes on the managed FortiGate.

D. Authorize the new AP using AP Manager and install the device level settings on the managed FortiGate.

Correct Answer: D

QUESTION 5

Refer to the exhibit.

According to the error message why is FortiManager failing to add the FortiAnalyzer device?

A. The administrator must turn off the Use Legacy Device login and add the FortiAnaJyzer device to the same network as Forti-Manager

B. The administrator must select the Forti-Manager administrative access checkbox on the FortiAnalyzer management interface

C. The administrator must use the Add Model Device section and discover the FortiAnaJyzer device

D. The administrator must use the correct user name and password of the FortiAnalyzer device

Correct Answer: B