



NSE6_FAD-6.2^{Q&As}

Fortinet NSE 6 - FortiADC 6.2

Pass Fortinet NSE6_FAD-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fad-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A web administrator wants to configure a new virtual server to deliver HTTP content to end users.

Which three components are mandatory to accomplish this? (Choose three.)

- A. Load balancing method
- B. Real server pool
- C. Server persistence
- D. Health check
- E. Application profile

Correct Answer: ABE

QUESTION 2


Which two settings are included in the global load balancing general DNS settings? (Choose two.)

- A. Recursion
- B. Response rate limit
- C. Management traffic
- D. Default zone configurations

Correct Answer: AB

QUESTION 3

Refer to the exhibit.



The exhibit shows the first few lines of three scripts, and a virtual server configuration leveraging these scripts.



Based on the way FortiADC prioritizes script execution, in what order will the scripts execute?

- A. COOKIE_COMMANDS, GENERAL_REDIRECT, GEOIP_UTILITY
- B. COOKIE_COMMANDS
- C. GEOIP_UTILITY, GENERAL_REDIRECT, COOKIE_COMMAND

Correct Answer: A

QUESTION 4

Refer to the exhibits.



Which show the HA configurations for two FortiADC devices

If both FortiADC devices are operational, which FortiADC is the active device in the cluster?

- A. The FortiADC with the highest HA uptime value
- B. The FortiADC with the highest sorting serial number
- C. FortiADC-1
- D. FortiADC-2

Correct Answer: D

QUESTION 5

In global load balancing, why might an administrator configure the response rate limit in FortiADC?



- A. To redirect requests from a blocked county
- B. To prevent FortiADG from being used in DNS amplification DoS attacks
- C. To protect back-end servers from SYN flood attacks
- D. To prioritize outgoing traffic by sending it through the link with the lowest response time

Correct Answer: B

[NSE6_FAD-6.2 Practice Test](#)

[NSE6_FAD-6.2 Study Guide](#) [NSE6_FAD-6.2 Braindumps](#)