



NSE6_FML-6.0^{Q&As}

Fortinet NSE 6 - FortiMail 6.0

Pass Fortinet NSE6_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fml-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements are true regarding FortiMail's behavior when using the built-in MTA to process email in transparent mode? (Choose two.)

- A. FortiMail can queue undeliverable messages and generate DSNs
- B. If you disable the built-in MTA, FortiMail will use its transparent proxies to deliver email
- C. FortiMail ignores the destination set by the sender and uses its own MX record lookup to deliver email
- D. MUAs need to be configured to connect to the built-in MTA to send email

Correct Answer: BC

QUESTION 2

Examine the FortiMail IBE users shown in the exhibit; then answer the question below Which one of the following statements describes the Pre-registered status of the IBE user krayner@external.com?

Active User		Expired User	Secure Question	IBE Authentication	IBE Domain	
<input type="checkbox"/>	Delete	Maintenance	Reset User			
Page 1 / 1		Records per page: 50	IBE domain: external.com	Search		
Enabled	Email	First Name	Last Name	Status	Creation Time	Last Access
<input checked="" type="checkbox"/>	njordan@external.com	Hal	Jordan	Activated	Wed, 12 Apr 2017 13:00:28 EDT	Wed, 12 Apr 2017 13:01:25 EDT
<input checked="" type="checkbox"/>	krayner@external.com			Pre-registered	Wed, 12 Apr 2017 13:02:13 EDT	Wed, 12 Apr 2017 13:02:13 EDT

- A. The user was registered by an administrator in anticipation of IBE participation
- B. The user has completed the IBE registration process but has not yet accessed their IBE email
- C. The user has received an IBE notification email, but has not accessed the HTTPS URL or attachment yet
- D. The user account has been de-activated, and the user must register again the next time they receive an IBE email

Correct Answer: C

QUESTION 3

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal and there are no unnecessary failovers?

- A. Upgrade the active unit, which will upgrade the standby unit automatically
- B. Upgrade both units at the same time



- C. Upgrade the standby unit, and then upgrade the active unit
- D. Break the cluster, upgrade the units independently, and then form the cluster again as quickly as possible

Correct Answer: D

QUESTION 4

Examine the FortiMail IBE service configuration shown in the exhibit; then answer the question below.

IBE Encryption	
Enable IBE service	<input checked="" type="checkbox"/>
IBE service name:	Example Secure Portal
User registration expiry time (days):	30
User inactivity expiry time (days):	90
Encrypted email storage expiry time (days):	180
Password reset expiry time (hours):	24
Allow secure replying	<input checked="" type="checkbox"/>
Allow secure forwarding	<input type="checkbox"/>
Allow secure composing	<input type="checkbox"/>
IBE base URL:	
"Help" content URL:	
"About" content URL:	
Allow custom user control	<input type="checkbox"/>

Which of the following statements describes the User inactivity expiry time of 90 days?

- A. First time IBE users must register to access their email within 90 days of receiving the notification email message
- B. After initial registration, IBE users can access the secure portal without authenticating again for 90 days
- C. Registered IBE users have 90 days from the time they receive a notification email message to access their IBE email
- D. IBE user accounts will expire after 90 days of inactivity, and must register again to access new IBE email message

Correct Answer: D

QUESTION 5

Examine the nslookup output shown in the exhibit; then answer the question below.



```
C:\>nslookup -type=mx example.com
Server: PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com      MX preference = 10, mail exchanger = mx.hosted.com
example.com      MX preference = 20, mail exchanger = mx.example.com
```

Identify which of the following statements is true regarding the example.com domain's MTAs. (Choose two.)

- A. External MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The primary MTA for the example.com domain is mx.hosted.com
- C. The PriNS server should receive all email for the example.com domain
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: CD

[Latest NSE6_FML-6.0 Dumps](#)

[NSE6_FML-6.0 PDF Dumps](#)

[NSE6_FML-6.0 Practice Test](#)