



# NSE6\_FML-6.0<sup>Q&As</sup>

Fortinet NSE 6 - FortiMail 6.0

## Pass Fortinet NSE6\_FML-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/nse6\\_fml-6-0.html](https://www.pass4itsure.com/nse6_fml-6-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which of the following CLI commands, if executed, will erase all data on the log disk partition? (Choose two.)

- A. execute formatmaildisk
- B. execute formatmaildisk\_backup
- C. execute formatlogdisk
- D. execute partitionlogdisk 40

Correct Answer: CD

---

### QUESTION 2

Examine the FortiMail session profile and protected domain configuration shown in the exhibit; then answer the question below.



**Session**

**Session Profile**

Profile name:

— **Connection Settings** —

— **Sender Reputation** —

— **Endpoint Reputation** —

— **Sender Validation** —

— **Session Settings** —

— **Unauthenticated Session Settings** —

— **SMTP Limits** —

Restrict number of EHLO/HELOs per session to:

Restrict number of email per session to:

Restrict number of recipients per email to:

Cap message size (KB) at:

Cap header size (KB) at:

Maximum number of NOOPs allowed for each connection:

Maximum number of RSETs allowed for each connection:

**Domains**

Domain name:

Is subdomain

Main domain:

LDAP User Profile:

— **Advanced Settings** —

Mail Routing LDAP profile:

Remove received header of outgoing email

Webmail theme:

Webmail language:

Maximum message size(KB):

Automatically add new users to address book:

Which size limit will FortiMail apply to outbound email?

- A. 204800
- B. 51200 C. 1024



D. 10240

Correct Answer: A

---

### QUESTION 3

A FortiMail is configured with the protected domain "example.com". For this FortiMail, which of the following envelope addresses are considered incoming? (Choose two.)

- A. MAIL FROM: training@external.org RCPT TO: students@external.org
- B. MAIL FROM: support@example.com PCPT TO: marketing@example.com
- C. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com
- D. MAIL FROM: accounts@example.com RCPT TO: sales@external.org

Correct Answer: BD

---

### QUESTION 4

Examine the FortiMail DLP scan rule shown in the exhibit; then answer the question below.



Profile **Rule**

### Message Scan Rule

Name:

Description:

**Conditions**

Match all conditions  Match any condition

New... | Edit... | Delete |

ID	Condition
1	Body contains sensitive data "Credit_Card_Number"
2	Attachment contains sensitive data "Credit_Card_Number"
3	Subject contains Credit Card

**Exceptions**

New... | Edit... | Delete |

ID	Condition
1	Sender contains sales@internal.lab

Which of the following statements is true regarding this configuration? (Choose two.)

- A. An email message containing the words "Credit Card" in the subject will trigger this scan rule
- B. If an email is sent from sales@internal.lab the action will be applied without matching any conditions
- C. An email message containing credit card numbers in the body will trigger this scan rule
- D. An email must contain credit card numbers in the body, attachment, and subject to trigger this scan rule

Correct Answer: AC

#### QUESTION 5

Examine the FortiMail recipient-based policy shown in the exhibit; then answer the question below.



**Policies**

**Recipient Based Policy**

Enable:

Direction: Incoming

Domain:  @

Comments:

**Sender Pattern**

Type:  @

**Recipient Pattern**

Type:  @  @

**Profiles**

**Authentication and Access**

Authentication type:

Authentication profile:

Use for SMTP authentication

Allow guaranteed email access through POP3

Allow guaranteed email access through webmail

After creating the policy, an administrator discovered that clients are able to send unauthenticated email using SMTP. What must be done to ensure clients cannot send unauthenticated email?

- A. Configure a matching IP policy with SMTP authentication and exclusive flag enabled
- B. Move the recipient policy to the top of the list
- C. Configure an access receive rule to verify authentication status
- D. Configure an access delivery rule to enforce authentication

Correct Answer: A