



NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

AntiVirus Action Profile

Domain:

Profile name:

☐ Tag subject

☐ Insert header

☐ Insert disclaimer at

☐ Deliver to alternate host

☐ Deliver to original host

☐ BCC

☒ Replace Infected/suspicious body or attachment(s)

☐ Archive to account

☐ Notify with profile

☐ Final action


What are two expected outcomes if FortiMail applies this antivirus action profile to an email? (Choose two.)

- A. Virus content will be removed from the email
- B. A replacement message will be added to the email
- C. The sanitized email will be sent to the recipient's personal quarantine
- D. The administrator will be notified of the virus detection

Correct Answer: BC

QUESTION 2

Refer to the exhibit.

**Protected Domain: example.com**

Access Control Rule	
Enabled	<input checked="" type="checkbox"/>
Sender:	User Defined *
Recipient:	User Defined *
Source:	IP/Netmask 0.0.0.0/0
Reverse DNS pattern:	* <input type="checkbox"/> Regular Expression
Authentication status:	Any
TLS profile:	--None--
Action:	Relay
Comments:	
<div>+ New Edit</div>	

An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain.

Which two settings should be used to configure the access receive rule? (Choose two.)

- A. The Recipient pattern should be set to *@example.com
- B. The Authentication status should be set to Authenticated
- C. The Sender IP/netmask should be set to 10.29.1.0/24
- D. The Action should be set to Reject

Correct Answer: BC

QUESTION 3



Refer to the exhibit.

Sender Reputation		Authentication Reputation	Endpoint Reputation
   1 — / 1   		Records per page: 50 ▾	
IP		Score	
10.0.1.254		15	

Which configuration change must you make to block an offending IP address temporarily?

- A. Add the offending IP address to the system block list
- B. Add the offending IP address to the user block list
- C. Add the offending IP address to the domain block list
- D. Change the authentication reputation setting status to Enable

Correct Answer: D

Reference: <https://help.fortinet.com/fweb/550/Content/FortiWeb/fortiweb-admin/blacklisting.htm>

QUESTION 4

Which FortiMail option removes embedded code components in Microsoft Word, while maintaining the original file format?

- A. Behavior analysis
- B. Impersonation analysis
- C. Content disarm and reconstruction
- D. Header analysis

Correct Answer: C

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/8c063dd3-bafe-11e9a989-00505692583a/fortimail-admin-620.pdf> (435)

QUESTION 5

FortiMail is configured with the protected domain example.com.

Which two envelope addresses will require an access receive rule, to relay for unauthenticated senders? (Choose two.)

- A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org



B. MAIL FROM: support@example.com RCPT TO: marketing@example.com

C. MAIL FROM: training@external.org RCPT TO: students@external.org

D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: BD

[Latest NSE6_FML-6.2
Dumps](#)

[NSE6_FML-6.2 PDF Dumps](#) [NSE6_FML-6.2 Braindumps](#)