VCE & PDF
Pass4itSure.com

NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

🔧 **Instant Download** After Purchase

🔧 **100% Money Back** Guarantee

🔧 **365 Days** Free Update

🔧 **800,000+** Satisfied Customers

QUESTION 1

Refer to the exhibit.

| Sender Reputation | Authentication Reputation | Endpoint Reputation |

| C « < 1— / 1 > » Records per page: 50 ▾ |

IP	Score
10.0.1.254	15

Which configuration change must you make to block an offending IP address temporarily?

A. Add the offending IP address to the system block list

B. Add the offending IP address to the user block list

C. Add the offending IP address to the domain block list

D. Change the authentication reputation setting status to Enable

Correct Answer: D

Reference: https://help.fortinet.com/fweb/550/Content/FortiWeb/fortiweb-admin/blacklisting.htm

QUESTION 2

A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org

B. MAIL FROM: support@example.com RCPT TO: marketing@example.com

C. MAIL FROM: training@external.org RCPT TO: students@external.org

D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: CD

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d11ea-9384-005056
92583a/FortiMail-6.4.0-Administration_Guide.pdf (30)

QUESTION 3

Refer to the exhibit.

Session Profile

Profile name: Example_Session

SMTP Limits

Restrict number of EHLO/HELOs per session to:	3
Restrict number of email per session to:	10
Restrict number of recipients per email to:	500
Cap message size (KB) at:	51200
Cap header size (KB) at:	10240
Maximum number of NOOPs allowed for each connection:	10
Maximum number of RSETs allowed for each connection:	20

FortiMail

Domain name: example.com
Relay type: Host
SMTP server: 10.29.1.45   Port 25 [Test..]
    Use SMTPS
Fallback SMTP server: Port 25 [Test..]
    Use SMTPS
    Relay Authentication

Other

Webmail theme: Use system settings
Webmail language: --Default--
Maximum message size(KB): 204800

SMTP greeting (EHLO/HELO) name (as client) Use system host name

IP pool: --None--   Direction: Delivering

Remove received header of outgoig email
Use global bayesian database
Bypass bounce verification

Which message size limit will FortiMail apply to the outbound email?

A. 204800

B. 1024

C. 51200

D. 10240

Correct Answer: A

QUESTION 4

Refer to the exhibit.

Which two statements about the mail server settings are true? (Choose two.)

A. FortiMail will support the STARTTLS extension

B. FortiMail will accept SMTPS connections

C. FortiMail will drop any inbound plaintext SMTP connection

D. FortiMail will enforce SMTPS on all outbound sessions

Correct Answer: BC

QUESTION 5

What three configuration steps are required to enable DKIM signing for outbound messages on FortiMail? (Choose three.)

A. Generate a public/private key pair in the protected domain configuration

B. Enable DKIM check in a matching session profile

C. Enable DKIM check in a matching antispam profile

D. Publish the public key as a TXT record in a public DNS server

E. Enable DKIM signing for outgoing messages in a matching session profile

Correct Answer: ABD

Latest NSE6_FML-6.2 Dumps

NSE6_FML-6.2 Practice Test

NSE6_FML-6.2 Exam Questions