



NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



An administrator must enforce authentication on FML-1 for all outbound email from the example.com domain.

Which two settings should be used to configure the access receive rule? (Choose two.)

- A. The Recipient pattern should be set to *@example.com
- B. The Authentication status should be set to Authenticated
- C. The Sender IP/netmask should be set to 10.29.1.0/24
- D. The Action should be set to Reject



Correct Answer: BC

QUESTION 2

If you are using the built-in MTA to process email in transparent mode, which two statements about FortiMail behavior are true? (Choose two.)

- A. MUAs need to be configured to connect to the built-in MTA to send email
- B. If you disable the built-in MTA, FortiMail will use its transparent proxies to deliver email
- C. FortiMail can queue undeliverable messages and generate DSNs
- D. FortiMail ignores the destination set by the sender, and uses its own MX record lookup to deliver email

Correct Answer: CD

QUESTION 3

Refer to the exhibit.

```
C:\>nslookup -type=mx example.com
Server: PriNS
Address: 10.200.3.254

Non-authoritative answer:
example.com      MX preference = 10, mail exchanger = mx.hosted.com
example.com      MX preference = 20, mail exchanger = mx.example.com
```

Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The PriNS server should receive all email for the example.com domain
- C. The primary MTA for the example.com domain is mx.hosted.com
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: AC

QUESTION 4

Which two antispam techniques query FortiGuard for rating information? (Choose two.)

- A. DNSBL



B. SURBL

C. IP reputation

D. URI filter

Correct Answer: AB

Reference: <https://docs.fortinet.com/document/fortimail/6.4.0/administration-guide/352990/configuringantispam-profiles-and-antispam-action-profiles>

QUESTION 5

A FortiMail is configured with the protected domain example.com.

On this FortiMail, which two envelope addresses are considered incoming? (Choose two.)

A. MAIL FROM: accounts@example.com RCPT TO: sales@external.org

B. MAIL FROM: support@example.com RCPT TO: marketing@example.com

C. MAIL FROM: training@external.org RCPT TO: students@external.org

D. MAIL FROM: mis@hosted.net RCPT TO: noc@example.com

Correct Answer: CD

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/9aa62d26-858d11ea-9384-00505692583a/FortiMail-6.4.0-Administration_Guide.pdf (30)

[NSE6_FML-6.2 PDF Dumps](#) [NSE6_FML-6.2 VCE Dumps](#) [NSE6_FML-6.2 Braindumps](#)