



NSE6_FML-6.2^{Q&As}

Fortinet NSE 6 - FortiMail 6.2

Pass Fortinet NSE6_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fml-6-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An organization has different groups of users with different needs in email functionality, such as address book access, mobile device access, email retention periods, and disk quotas.

Which FortiMail feature specific to server mode can be used to accomplish this?

- A. Resource profiles
- B. Domain-level service settings
- C. Access profiles
- D. Address book management options

Correct Answer: C

QUESTION 2

While testing outbound MTA functionality, an administrator discovers that all outbound email is being processed using policy IDs 1:2:0.

Which two reasons explain why the last policy ID value is 0? (Choose two.)

- A. Outbound email is being rejected
- B. IP policy ID 2 has the exclusive flag set
- C. There are no outgoing recipient policies configured
- D. There are no access delivery rules configured for outbound email

Correct Answer: CD

QUESTION 3

Refer to the exhibit.



Access Control Rule

Enabled

Sender:

Recipient:

Source:

Reverse DNS pattern: Regular Expression

Authentication status:

TLS profile:

Action:

Comments:

Which two statements about the access receive rule are true? (Choose two.)

- A. Email matching this rule will be relayed
- B. Email must originate from an example.com email address to match this rule
- C. Senders must be authenticated to match this rule
- D. Email from any host in the 10.0.1.0/24 subnet can match this rule

Correct Answer: AB

QUESTION 4

While reviewing logs, an administrator discovers that an incoming email was processed using policy IDs

0:4:9.

Which two scenarios will generate this policy ID? (Choose two.)

- A. Email was processed using IP policy ID 4
- B. Incoming recipient policy ID 9 has the exclusive flag set
- C. FortiMail applies the default behavior for relaying inbound email




D. FortiMail configuration is missing an access delivery rule

Correct Answer: CD

QUESTION 5

Refer to the exhibit.



Access Control Rule	
Enabled	<input checked="" type="checkbox"/>
Sender:	User Defined *
Recipient:	User Defined *
Source:	IP/Netmask 0.0.0.0/0
Reverse DNS pattern:	* <input type="checkbox"/> Regular Expression
Authentication status:	Any
TLS profile:	--None-- <input type="button" value="+ New..."/> <input type="button" value="Edit..."/>
Action:	Reject
Comments:	

It is recommended that you configure which three access receive settings to allow outbound email from the example.com domain on FML-1? (Choose three.)



- A. The Sender pattern should be set to *@example.com
- B. The Action should be set to Relay
- C. The Recipient pattern should be set to 10.29.1.45/24
- D. The Enable check box should be cleared
- E. The Sender IP/netmask should be set to 10.29.1.45/32

Correct Answer: BDE

[NSE6_FML-6.2 VCE Dumps](#)

[NSE6_FML-6.2 Exam
Questions](#)

[NSE6_FML-6.2 Braindumps](#)