



# NSE6\_FNC-8.5<sup>Q&As</sup>

Fortinet NSE 6 - FortiNAC 8.5

## Pass Fortinet NSE6\_FNC-8.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/nse6\\_fnc-8-5.html](https://www.pass4itsure.com/nse6_fnc-8-5.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two methods can be used to gather a list of installed applications and application details from a host? (Choose two.)

- A. Agent technology
- B. MDM integration
- C. Portal page on-boarding options
- D. Application layer traffic inspection

Correct Answer: BC

Reference: <https://developer.apple.com/business/documentation/MDM-Protocol-Reference.pdf> <https://docs.oracle.com/en/middleware/idm/identity-governance/12.2.1.3/omusg/managing-applicationonboarding.html#GUID-4D0D5B18-A6F5-4231-852E-DB0D95AAE2D1>

---

**QUESTION 2**

Which three circumstances trigger Layer 2 polling of infrastructure devices? (Choose three.)

- A. A matched security policy
- B. Scheduled poll timings
- C. Linkup and Linkdown traps
- D. Manual polling
- E. A failed Layer 3 poll

Correct Answer: BCD

---

**QUESTION 3**

What would occur if both an unknown (rogue) device and a known (trusted) device simultaneously appeared on a port that is a member of the Forced Registration port group?

- A. The port would be provisioned to the registration network, and both hosts would be isolated.
- B. The port would not be managed, and an event would be generated.
- C. The port would be provisioned for the normal state host, and both hosts would have access to that VLAN.
- D. The port would be administratively shut down.

Correct Answer: C

---

**QUESTION 4**

With enforcement for network access policies and at-risk hosts enabled, what will happen if a host matches a network access policy and has a state of "at risk"?

- A. The host is provisioned based on the network access policy.
- B. The host is provisioned based on the default access defined by the point of connection.
- C. The host is isolated.
- D. The host is administratively disabled.

Correct Answer: A

Reference: <https://docs.fortinet.com/document/fortinac/8.6.0/administration-guide/49701/policy-assignment>

---

**QUESTION 5**

Which two agents can validate endpoint compliance transparently to the end user? (Choose two.)

- A. Persistent
- B. Dissolvable
- C. Mobile
- D. Passive

Correct Answer: AC

Mobile agents use the network transparently.

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/377110/persistent-agent-certificatevalidation> <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/377110/persistent-agent-certificatevalidation>

[Latest NSE6\\_FNC-8.5 Dumps](#)

[NSE6\\_FNC-8.5 PDF Dumps](#) [NSE6\\_FNC-8.5 Braindumps](#)