



NSE6_FVE-5.3^{Q&As}

Fortinet NSE 6 - FortiVoice 5.3

Pass Fortinet NSE6_FVE-5.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fve-5-3.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What does the caller ID modification option do on managed gateways?

- A. Allows the reception and relay of caller ID out on the trunk
- B. Allows the relay of the caller ID from FortiVoice out on the trunk
- C. Allows the reception of caller ID on the trunk and passes it to FortiVoice
- D. Allows the application of caller ID modification rules to the trunk

Correct Answer: B

QUESTION 2

With respect to programming extensions, how is Pickup Group used?

- A. To allow extensions to answer calls ringing at another extension
- B. To allow extensions to pick up calls when already on a call
- C. To allow extensions to continuous ring until call is answered or dropped
- D. To group extensions that can only answer calls by picking up the handset

Correct Answer: A

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/03eb7779-50a711e9-94bf-00505692583a/FVE_admin_v5.3.0_rev9.pdf (189)

QUESTION 3

Refer to the exhibit.



Extension Setting

User ID:

Number:

Enabled:

Display name:

External caller ID: e.g, Jim <612223>

Password policy is disabled

SIP password: Generate View password

User PIN: Generate View PIN

Authentication type: ▼

Phone language: ▼

Preference: [\[Edit preference...\]](#)

Description: [Click to edit...](#)

Advanced Setting

Location: ▼

Survival branch: ▼

SIP setting: ▼

User privilege: ▼

Personal code:

Phone type: ▼

Phone profile: Admin defined

▼

User defined

[Auxiliary device...]

An administrator has configured FortiVoice Advanced Setting for a user as shown in the exhibit.

Given this configuration, which statement is true?

- A. The extension can be reached at 3761 when user is remote.
- B. FortiVoice is configured behind a NAT device.
- C. The user extension is currently disabled.
- D. The user extension is configured for SoftClient use.

Correct Answer: D



QUESTION 4

What is the SIP Session Helper used for?

- A. Blocks duplicate SIP messages from reaching IP extensions
- B. Applies NAT to SIP messages
- C. Randomizes the SIP registration port on the FortiVoice
- D. Initiates SIP trunk calls automatically

Correct Answer: B

Reference: <https://www.fortinetguru.com/2018/10/the-sip-session-helper-2/>

QUESTION 5

When adding gateways, which information is retrieved when you select '\\Get device information\\'? (Choose three.)

- A. Serial Number
- B. Firmware
- C. MAC Address
- D. Description
- E. Type

Correct Answer: ACE

Reference: <https://docs.fortinet.com/document/fortivoice-enterprise/6.4.0/fortivoice-phone-systemadministration-guide/355098/managing-fxo-gateways>

[NSE6_FVE-5.3 VCE Dumps](#)

[NSE6_FVE-5.3 Practice
Test](#)

[NSE6_FVE-5.3 Study Guide](#)