

NSE6_FVE-5.3^{Q&As}

Fortinet NSE 6 - FortiVoice 5.3

Pass Fortinet NSE6_FVE-5.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fve-5-3.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

What is the flow of SIP messages when an IP extension places an outbound call under normal operation?

- A. SIP messages go to the gateway directly before routing out of the trunk.
- B. SIP messages go to the branch system then to the central system before routing out the trunk.
- C. SIP messages go to the central system directly before routing out of the trunk.
- D. SIP messages go directly out to the trunk.

Correct Answer: A

QUESTION 2

Which statement describes what happens when you add a DID to an eFax account?

- A. FortiVoice will monitor for CNG tones on the DID when the calls come in on that number.
- B. The eFax account can use the DID for sending out only.
- C. Calls to the DID will go directly to the eFax account.
- D. FortiVoice will ignore inbound calls to the DID.

Correct Answer: C

Reference: https://www.vunkers.com/wp-content/uploads/2018/09/FortiVoice-6.0.0-Cookbook.pdf

QUESTION 3

When configuring High Availability, which three configurations are required on both units? (Choose three.)

- A. Configure the system time
- B. Configure the Admin Profile
- C. Configure the Mode of Operation
- D. Configure the On Failure behavior E. Configure the Virtual IP address

Correct Answer: CDE

QUESTION 4

Refer to the exhibit.



User ID:	7711				
Number:	7711				
Enabled:	7/11 V			0	
Display name:	John Doe				
External caller ID:			e.a.	Jim <6122	223>
Password policy	is disabled				
SIP password:			0	Generate	View passwor
User PIN:			0	Generate	
Authentication type:	Local	~			
Phone language:	English	~			
Preference:	(Edit musference)				
Fleiefence.	[Edit preference]				
Description:	[Edit preference] Click to edit				
	Click to edit				
Description:	Click to edit	~	Ne	w] Edi	t
Description:	Click to edit	*	(contractor	w] Edi	t
Description: Advanced Set Location:	Click to edit tting mobile	*	Ec	(interesting)	
Description: Advanced Set Location: Survival branch:	Click to edit tting mobile None	and the second s	Ec Nev	lit]	L
Description: Advanced Set Location: Survival branch: SIP setting:	Click to edit tting mobile None sip_setting_default	v	Nev	dit w Edit	L
Description: Advanced Set Location: Survival branch: SIP setting: User privilege:	Click to edit tting mobile None sip_setting_default default	v	Nev	dit w Edit w Edit	L
Description: Advanced Set Location: Survival branch: SIP setting: User privilege: Personal code:	Click to edit tting mobile None sip_setting_default default 3761	v	Nev	dit w Edit w Edit	L
Description: Advanced Set Location: Survival branch: SIP setting: User privilege: Personal code: Phone type:	Click to edit tting mobile None sip_setting_default default 3761 FortiFone-SoftClient	*	Ec Nev Nev	dit w Edit w Edit herate	L

An administrator has configured FortiVoice Advanced Setting for a user as shown in the exhibit.

Given this configuration, which statement is true?

- A. The extension can be reached at 3761 when user is remote.
- B. FortiVoice is configured behind a NAT device.
- C. The user extension is currently disabled.
- D. The user extension is configured for SoftClient use.

Correct Answer: D



QUESTION 5

A large call center has multiple offices around the world that require communication with each and other.

Which feature of FortiVoice allows multiple remote offices to show up as one office under FortiVoice Gateway?

- A. FortiOffice Client
- B. Office HA
- C. External Extensions
- D. Office Peers
- Correct Answer: D

Reference: https://www.fortinet.com/content/dam/fortinet/assets/data-sheets/FortiVoiceEnterprise.pdf (3)

NSE6_FVE-5.3 VCE Dumps

NSE6_FVE-5.3 Practice Test NSE6_FVE-5.3 Braindumps