



NSE6_FWF-6.4^{Q&As}

Fortinet NSE 6 - Secure Wireless LAN 6.4

Pass Fortinet NSE6_FWF-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse6_fwf-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What type of design model does FortiPlanner use in wireless design project?

- A. Architectural model
- B. Predictive model
- C. Analytical model
- D. Integration model

Correct Answer: A

FortiPlanner will look familiar to anyone who has used architectural or home design software. Reference:
<http://en.hackdig.com/?7883.htm>

QUESTION 2

When using FortiPresence as a captive portal, which two types of public authentication services can be used to access guest Wi-Fi? (Choose two.)

- A. Social networks authentication
- B. Software security token authentication
- C. Short message service authentication
- D. Hardware security token authentication

Correct Answer: AD

This information along with the social network authentication logins with Facebook, Google, Instagram, LinkedIn, or FortiPresence using your WiFi.

Captive Portal configurations for social media logins and internet access. You can add and manage sites using the integrated Google maps and manoeuvre your hardware infrastructure easily.

Reference: https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/e126e498-eabb-11eb-97f7-00505692583a/FortiPresence-21.3-Administration_Guide.pdf

QUESTION 3

Which statement is correct about security profiles on FortiAP devices?

- A. Security profiles on FortiAP devices can use FortiGate subscription to inspect the traffic
- B. Only bridge mode SSIDs can apply the security profiles
- C. Disable DTLS on FortiAP



D. FortiGate performs inspection the wireless traffic

Correct Answer: B

Reference: <https://docs.fortinet.com/document/fortiap/6.4.0/fortiwifi-and-fortiap-configuration-guide/47321/fortiap-s-bridge-mode-security-profiles>

QUESTION 4

Part of the location service registration process is to link FortiAPs in FortiPresence.

Which two management services can configure the discovered AP registration information from the FortiPresence cloud? (Choose two.)

- A. AP Manager
- B. FortiAP Cloud
- C. FortiSwitch
- D. FortiGate


Correct Answer: BD

FortiGate, FortiCloud wireless access points (send visitor data in the form of station reports directly to FortiPresence)

Reference: <https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/df877622-c976-11e9-8977-00505692583a/FortiPresence-v4.3-release-notes.pdf>

QUESTION 5

Refer to the exhibit.



If the signal is set to -68 dB on the FortiPlanner site survey reading, which statement is correct regarding the coverage area?

- A. Areas with the signal strength equal to -68 dB are zoomed in to provide better visibility
- B. Areas with the signal strength weaker than -68 dB are cut out of the map
- C. Areas with the signal strength equal or stronger than -68 dB are highlighted in multicolor
- D. Areas with the signal strength weaker than -68 dB are highlighted in orange and red to indicate that no signal was propagated by the APs.

Correct Answer: C

[NSE6_FWF-6.4 PDF Dumps](#)

[NSE6_FWF-6.4 Study Guide](#)

[NSE6_FWF-6.4 Exam Questions](#)