

NSE7_EFW-6.0^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.0

Pass Fortinet NSE7_EFW-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/nse7_efw-6-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

What is the purpose of an internal segmentation firewall (ISFW)?

- A. It is the first line of defense at the network perimeter.
- B. It inspects incoming traffic to protect services in the corporate DMZ.
- C. It is an all-in-one security appliance that is placed at remote sites to extend the enterprise network.
- D. It splits the network into multiple security segments to minimize the impact of breaches.

Correct Answer: D

QUESTION 2

View the exhibit, which contains the output of a debug command, and then answer the question below.

```
FGT # get router info ospf interface port4
port4 is up, line protocol is up
   Internet Address 172.20.121.236/24, Area 0.0.0.0, MTU 1500
   Process ID 0, Router ID 0.0.0.4, Network Type BROADCAST, Cost: 1
   Transmit Delay is 1 sec, State DROther, Priority 1
   Designated Router (ID) 172.20.140.2, Interface Address 172.20.121.2
   Backup Designated Router (ID) 0.0.0.1, Interface Address 172.20.121.239
   Timer intervals configured, Hello 10.000, Dead 40, Wait 40, Retransmit 5
    Hello due in 00:00:05
   Neighbor Count is 4, Adjacent neighbor count is 2
   Crypt Sequence Number is 411
   Hello received 106 sent 27, DD received 6 sent 3
   LS-Req received 2 sent 2, LS-Upd received 7 sent 17
   LS-Ack received 4 sent 3, Discarded 1
```

Which of the following statements about the exhibit are true? (Choose two.)

- A. Port4 is connected to the OSPF backbone area.
- B. In the network connected to port4, two OSPF routers are down.
- C. The local FortiGate is the backup designated router.
- D. The local FortiGate\\'s OSPF router ID is 0.0.0.4.

Correct Answer: AD

QUESTION 3

When using the SSL certificate inspection method to inspect HTTPS traffic, how does FortiGate filler web requests

https://www.pass4itsure.com/nse7_efw-6-0.html

2024 Latest pass4itsure NSE7_EFW-6.0 PDF and VCE dumps Download

when the client browser does not provide the server name indication (SNI) extension?

- A. FortiGate switches to the full SSL inspection method to decrypt the data.
- B. FortiGate blocks the request without any further inspection.
- C. FortiGate uses the Issued T: field in the server\\'s certificate.
- D. FortiGate uses the requested URL from the user\\'s web browser.

Correct Answer: C

QUESTION 4

View the exhibit, which contains the output of diagnose sys session stat, and then answer the question below.

```
NGFW-1 # diagnose sys session stat
misc info:
                  session count=591 setup rate=0 exp count=0 clash=162
         memory tension drop=0 ephemeral=0/65536 removeable=0
delete=0, flush=0, dev down=0/0
TCP sessions:
         166 in NONE state
         1 in ESTABLISHED state
         3 in SYN SENT state
         2 in TIME WAIT state
firewall error stat:
error1=000000000
error2=000000000
error3=000000000
error4=000000000
tt=000000000
cont=000000000
ids recv=000000000
url recv=000000000
av recv=000000000
fqdn count=00000006
global: ses limit=0 ses6 limit=0 rt limit=0 rt6 limit=0
```

Which of the following statements about the output shown are correct? (Choose two.)

- A. There are 166 TCP sessions waiting to complete the three-way handshake.
- B. All the sessions in the session table are TCP sessions.
- C. There are 0 ephemeral sessions.
- D. No sessions have been deleted because of memory pages exhaustion.

Correct Answer: CD



https://www.pass4itsure.com/nse7_efw-6-0.html

2024 Latest pass4itsure NSE7_EFW-6.0 PDF and VCE dumps Download

QUESTION 5

What does the dirty flag mean in a FortiGate session?

- A. The session must be removed from the former primary unit after an HA failover.
- B. Traffic has been identified as from an application that is not allowed.
- C. The next packet must be re-evaluated against the firewall policies.
- D. Traffic has been blocked by the antivirus inspection.

Correct Answer: C

Latest NSE7 EFW-6.0

Dumps

NSE7 EFW-6.0 VCE

<u>Dumps</u>

NSE7 EFW-6.0 Braindumps