



NSE7_EFW-6.0^{Q&As}

Fortinet NSE 7 - Enterprise Firewall 6.0

Pass Fortinet NSE7_EFW-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse7_efw-6-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

View the exhibit, which contains a session table entry, and then answer the question below.

```
FGT = diagnose sys session list
session info: proto=6 proto_state=11 duration=35 expire=265 timeout=300 flags=00000000
sockflag=00000000 sockport=0 av_idx=0 use=4
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=redir local may_dirty none app_ntf
statistic(bytes/packets/allow_err): org=3208/25/1 reply=11144/29/1 tuples=2
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
origin->sink: org pre->post, reply pre->post dev=7->6/6->7 gwy=172.20.121.2/10.0.0.2
hook=post dir=org act=snat 192.167.1.100:49545->216.58.216.238:443 (172.20.121.96:49545)
hook=pre dir=reply act=dnat 216.58.216.238:443->172.20.121.96:49545 (192.167.1.100:49545)
pos/ (before,after) 0/ (0,0), 0/ (0,0)
src_mac=08:5b:0e:6c:7b:7a
misc=0 policy_id=21 auth_info=0 chk_client_info=0 vd=0
serial=007f2948 tos=ff/ff app_list=0 app=0 url_cat=41
rpd_b_link_id = 00000000
dd_type=0 dd_mode=0
npu_state=00000000
npu info: flag=0x00/0x00, offload=0/0, ips_offload=0/0, epid=0/0, ipid=0/0, vlan=0x0000/0x0000
vlifid=0/0, vtag_in=0x0000/0x0000 in_npu=0/0, out_npu=0/0, fwd_en=0/0, qid=0/0
```

Which one of the following statements is true regarding FortiGate's inspection of this session?

- A. FortiGate applied flow-based inspection.
- B. FortiGate applied proxy-based inspection.
- C. FortiGate forwarded this session without any inspection.
- D. FortiGate applied NGFW flow-based inspection.

Correct Answer: B

QUESTION 2

View the exhibit, which contains the partial output of a diagnose command, and then answer the question below.



```
Spoke-2 # dia vpn tunnel list
list all ipsec tunnel in vd 0
-----
name=VPN ver=1 serial=1 10.200.5.1:0->10.200.4.1:0
bound_if=3 lgwy=static/1 tun=intf/0 mode=auto/1 encap=none/0
proxyid_num=1 child_num=0 refcnt=15 ilast=10 olast=792 auto-discovery=0
stat: rxp=0 txp=0 rxb=0 txb=0
dpd: mode=on-demand on=1 idle=20000ms retry=3 count=0 seqno=0
natt: mode=none draft=0 interval=0 remote_port=0
proxyid=VPN proto=0 sa=1 ref=2 serial=1
src: 0:10.1.2.0/255.255.255.0:0
dst: 0:10.1.1.0/255.255.255.0:0
SA: ref=3 options=2e type=00 soft=0 mtu=1438 expire=42403/OB replaywin=2048 seqno=1 esn=0
replaywin_lastseq=00000000
life: type=01 bytes=0/0 timeout=43177/43200
dec: spi=ccc1f66d esp=aes key=16 280e5cd6f9bacc65ac771556c464ffbd
    ah=sha1 key=20 c68091d68753578785de6a7a6b276b506c527efe
enc: spi=df14200b esp=aes key=16 b02a7e9f5542b69aff6aa391738ee393
    ah=sha1 key=20 889f7529887c215c25950be2ba83e6fe1a5367be
dec:pkts/bytes=0/0, enc:pkts/bytes=0/0
```

Based on the output, which one of the following statements is correct?

- A. Quick mode selectors are disabled.
- B. DPD is disabled.
- C. Anti-replay is enabled.
- D. Remote gateway IP is 10.200.5.1

Correct Answer: C

QUESTION 3

What configuration settings change the behavior for content-inspected traffic while FortiGate is in conserve mode? (Choose two.)

- A. mem-failopen
- B. ips-failopen
- C. utm-failopen
- D. av-failopen

Correct Answer: BD

QUESTION 4

View the exhibit, which contains the output of diagnose sys session list, and then answer the question below.



```
# diagnose sys session list
session info: proto=6 proto_state=01 duration=73 expire=3597 timeout=3600
flags=00000000 sockflag=00000000 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=may_dirty synced none app_ntf
statistic(bytes/packets/allow_err): org=822/11/1 reply=9037/15/1 tuples=2
origin->sink: org pre->post, reply pre->post dev=4->2/2->4
gwy=100.64.1.254/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:65464->54.192.15.182:80(100.64.1.1:65464)
hook=pre dir=reply act=dnat 54.192.15.182:80->100.64.1.1:65464(10.0.1.10:65464)
pos/(before,after) 0/(0,0), 0/(0,0)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000098 tos=ff/ff ips_view=0 app_list=0 app=0
dd_type=0 dd_mode=0
```

If the HA ID for the primary unit is zero (0), which one of the following statements about the output is true?

- A. This session is for HA heartbeat traffic.
- B. This session cannot be synced with the slave unit.
- C. The master unit is processing this traffic.
- D. The inspection of this session has been offloaded to the slave unit.

Correct Answer: C

QUESTION 5

What does the dirty flag mean in a FortiGate session?

- A. The session must be removed from the former primary unit after an HA failover.
- B. Traffic has been identified as from an application that is not allowed.
- C. The next packet must be re-evaluated against the firewall policies.
- D. Traffic has been blocked by the antivirus inspection.

Correct Answer: C

[NSE7_EFW-6.0 VCE
Dumps](#)

[NSE7_EFW-6.0 Study
Guide](#)

[NSE7_EFW-6.0
Braindumps](#)