



# NSE7\_PBC-6.4<sup>Q&As</sup>

Fortinet NSE 7 - Public Cloud Security 6.4

## Pass Fortinet NSE7\_PBC-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/nse7\\_pbc-6-4.html](https://www.pass4itsure.com/nse7_pbc-6-4.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





## QUESTION 1

You have been asked to secure your organization's salesforce application that is running on Microsoft Azure, and find an effective method for inspecting shadow IT activities in the organization. After an initial investigation, you find that many users access the salesforce application remotely as well as on-premises. Your goal is to find a way to get more visibility, control over shadow IT-related activities, and identify any data leaks in the salesforce application.

Which three steps should you take to achieve your goal? (Choose three.)

- A. Deploy and configure FortiCASB with a Fortinet FortiCASB subscription license.
- B. Configure FortiCASB and set up access rights, privileges, and data protection policies.
- C. Use FortiGate, FortiGuard, and FortiAnalyzer solutions.
- D. Deploy and configure FortiCWP with a workload guardian license.
- E. Deploy and configure FortiGate with Security Fabric solutions, and FortiCWP with a storage guardian advance license.

Correct Answer: ABC

## QUESTION 2

```
207     "osDisk": {
208         "osType": "Linux",
209         "name": "sstantazfgt0402build3232disk01",
210         "caching": "ReadWrite",
211         "createOption": "Empty",
212         "managedDisk": {
213             "storageAccountType": "Standard_LRS"
214         },
215         "diskSizeGB": 2
216     },
217     "dataDisks": {
218         {
219             "lun": 0,
220             "name": "sstantazfgt0402build3232disk02",
221             "createOption": "Empty",
222             "caching": "None",
223             "managedDisk": {
224                 "storageAccountType": "Standard_LRS"
225             },
226             "diskSizeGB": 30
227         },
228     ],
229 }
```

Refer to the exhibit. You attempted to deploy the FortiGate-VM in Microsoft Azure with the JSON template, and it failed to boot up. The exhibit shows an excerpt from the JSON template.

What is incorrect with the template?



- A. The LUN ID is not defined.
- B. FortiGate-VM does not support managedDisk from Azure.
- C. The caching parameter should be None.
- D. The CreateOptions parameter should be FromImage.

Correct Answer: D

---

### QUESTION 3

An Amazon Web Services (AWS) auto-scale FortiGate cluster has just experienced a scale-down event, terminating a FortiGate in availability zone C.

What action will the worker node automatically perform to restore access to the black-holed subnet?

- A. The worker node applies a route table from a non-black-holed subnet to the black-holed subnet.
- B. The worker node moves the virtual IP of the terminated FortiGate to a running FortiGate on the worker node's private subnet interface.
- C. The worker node modifies the route table applied to the black-holed subnet changing its default route to point to a running FortiGate on the worker node's private subnet interface.
- D. The worker node migrates the subnet to a different availability zone.

Correct Answer: D

---

### QUESTION 4

You need to deploy FortiGate VM devices in a highly available topology in the Microsoft Azure cloud. The following are the requirements of your deployment:

Two FortiGate devices must be deployed; each in a different availability zone.

Each FortiGate requires two virtual network interfaces: one will connect to a public subnet and the other will connect to a private subnet.

An external Microsoft Azure load balancer will distribute ingress traffic to both FortiGate devices in an active-active topology.

An internal Microsoft Azure load balancer will distribute egress traffic from protected virtual machines to both FortiGate devices in an active-active topology.

Traffic should be accepted or denied by a firewall policy in the same way by either FortiGate device in this topology.



Which FortiOS CLI configuration can help reduce the administrative effort required to maintain the FortiGate devices, by synchronizing firewall policy and object configuration between the FortiGate devices?

- A. config system sdn-connector
- B. config system ha
- C. config system auto-scale
- D. config system session-sync

Correct Answer: B

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/84777/using-standaloneconfiguration-synchronization>

---

#### QUESTION 5

A company deployed a FortiGate-VM with an on-demand license using Amazon Web Services (AWS) Market Place Cloud Formation template. After deployment, the administrator cannot remember the default admin password.

What is the default admin password for the FortiGate-VM instance?

- A. The admin password cannot be recovered and the customer needs to deploy the FortiGate-VM again.
- B.
- C. admin
- D. The instance-ID value

Correct Answer: D

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/aws-cookbook/828256/connecting-to-thefortigate-vm>

[Latest NSE7\\_PBC-6.4 Dumps](#)

[NSE7\\_PBC-6.4 Exam Questions](#)

[NSE7\\_PBC-6.4 Braindumps](#)