NSE7_SDW-6.4^{Q&As}

Fortinet NSE 7 - SD-WAN 6.4

Pass Fortinet NSE7_SDW-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse7_sdw-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

QUESTION 1

Refer to the exhibits.

ExhibitA shows the system interface with the static routes and exhibit B shows the firewall policies on the managed FortiGate.

Based on the FortiGate configuration shown in the exhibits, what issue might you encounter when creating an SD-WAN zone for port1 and port2?

A. port2 is referenced in a static route.

B. port1 is assigned a manual IP address.

C. port1 and port2 are not administratively down.

D. port1 is referenced in a firewall policy.

Correct Answer: D

QUESTION 2

An administrator is troubleshooting VoIP quality issues that occur when calling external phone numbers The SD-WAN interface on the edge FortiGate is configured with the default settings, and is using two upstream links One link has random jitter and latency issues and is based on a wireless connection

Which two actions must the administrator apply simultaneously on the edge FortiGate to improve VoIP quality using SD_WAN rules?

A. Select the corresponding SD-WAN balancing strategy in the SD-WAN rule.

B. Choose the suitable interface based on the interface cost and weight.

C. Use the performance SLA targets to detect latency and jitter instantly.

D. Place the troublesome link at the top of the interface preference list.

E. Configure an SD-WAN rule to load balance all traffic without VoIP.

Correct Answer: AC

QUESTION 3

Refer to the exhibit.

```
NGFW-1 # diagnose sys virtual-wan-link health-check
Health Check(DC_PBX_SLA):
Seq(1 port1): state(dead), packet-loss(75.000%) sla_map=0x0
Seq(2 port2): state(alive), packet-loss(0.000%) latency(50.477), jitter(3.699)
sla_map=0x1

NGFW -1 # diagnose sys sdwan service

Service(1): Address Mode(IPV4) flags=0x0
  Gen(3), TOS(0x0/0x0), Protocol(0: 1->65535), Mode(priority), link-cost-
factor(latency), link-cost-threshold(10), heath-check(DC_PBX_SLA)
  Members:
    1: Seq_num(2 port2), alive, latency: 50.233, selected
    2: Seq_num(1 port1), dead
  Internet Service: Microsoft-Skype_Teams(327781,0,0,0)
  Src address:
      0.0.0.0-255.255.255.255
```

Based on the exhibit, which status description is correct?

A. Port1 is dead because it does not meet the SLA target.

B. Port2 is alive because its packet loss is lower than 10%.

C. The SD-WAN members are monitored by different performance SLAs.

D. Traffic matching the SD-WAN rule is steered through port2.

Correct Answer: D

QUESTION 4

What are two reasons why FortiGate would be unable to complete the zero-touch provisioning process? (Choose two.)

A. The FortiGate cloud key has not been added to the FortiGate cloud portal.

B. FortiDeploy has connected with FortiGate and provided the initial configuration to contact FortiManager

C. The zero-touch provisioning process has completed internally, behind FortiGate.

D. FortiGate has obtained a configuration from the platform template in FortiGate cloud.

E. A factory reset performed on FortiGate.

Correct Answer: AC

QUESTION 5

What are the two minimum configuration requirements for an outgoing interface to be selected once the SD-WAN logical interface is enabled? (Choose two)

A. Specify outgoing interface routing cost.

B. Configure SD-WAN rules interface preference.

C. Select SD-WAN balancing strategy.

D. Specify incoming interfaces in SD-WAN rules.

Correct Answer: AB

[NSE7_SDW-6.4 PDF Dumps](#)   [NSE7_SDW-6.4 Study Guide](#)   [NSE7_SDW-6.4 Braindumps](#)