



# NSE7\_SDW-7.0<sup>Q&As</sup>

Fortinet NSE 7 - SD-WAN 7.0

## Pass Fortinet NSE7\_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/nse7\\_sdwan-7-0.html](https://www.pass4itsure.com/nse7_sdwan-7-0.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

What is the purpose of a predefined template on the FortiAnalyzer?

- A. It can be edited and modified as required
- B. It specifies the report layout which contains predefined texts, charts, and macros
- C. It specifies report settings which contains time period, device selection, and schedule
- D. It contains predefined data to generate mock reports

Correct Answer: B

FortiAnalyzer 6.4 Study Guide page 197

---

**QUESTION 2**

Which components make up the secure SD-WAN solution?


- A. Application, antivirus, and URL, and SSL inspection
- B. Datacenter, branch offices, and public cloud
- C. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy
- D. Telephone, ISDN, and telecom network.

Correct Answer: C

---

**QUESTION 3**

Refer to the exhibit.





Multiple IPsec VPNs are formed between two hub-and-spokes groups, and site-to-site between Hub 1 and Hub 2. The administrator configured ADVPN on the dual regions topology.

Which two statements are correct if a dynamic site-to-site tunnel between Toronto and London has been established? (Choose two)

- A. auto-discovery-receiver is enabled on the egress VPN interfaces on the spokes
- B. auto-discovery-sender is enabled on the ingress VPN interfaces on hubs
- C. tunnel-search IS set to phase 2 quick mode selectors
- D. add-route is enabled to install static routes on hub devices
- E. auto-discovery-forwarder IS enabled on all VPN interfaces

Correct Answer: AB

---

#### QUESTION 4

Which components make up the secure SD-WAN solution?

- A. Application, antivirus, and URL, and SSL inspection
- B. Datacenter, branch offices, and public cloud
- C. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy
- D. Telephone, ISDN, and telecom network.

Correct Answer: C

---

#### QUESTION 5

Refer to exhibits.

Exhibit A.



### Edit Traffic Shaping Policy

**Name**

**Status** ☒ Enabled ☐ Disabled

**Comments**  0/255

**If Traffic Matches:**

**Source**

+

**Destination**

+

**Schedule** ☐

**Service**

+

**Application**

+

**URL Category**

+

**Then:**

**Action** ☒ Apply Shaper ☐ Assign Shaping Class ID

**Outgoing interface**

+

**Shared shaper** ☐

**Reverse shaper** ☒

**Per-IP shaper** ☐

Exhibit B.





The screenshot displays the FortiGate configuration interface, divided into two main sections: 'Edit Policy' and 'Firewall / Network Options'.

**Edit Policy Section:**

- Name:** Daيلمotion\_traffic
- Incoming Interface:** port3
- Outgoing Interface:** SD-WAN
- Source:** all
- Destination:** all
- Schedule:** always
- Service:** ALL
- Action:** ACCEPT (selected), DENY
- Inspection Mode:** Flow-based (selected), Proxy-based

**Firewall / Network Options Section:**

- NAT:** Enabled (toggle switch)
- IP Pool Configuration:** Use Outgoing Interface Address (selected), Use Dynamic
- Preserve Source Port:** Disabled (toggle switch)
- Protocol Options:** PROXY default
- Security Profiles:**
  - AntiVirus: Disabled
  - Web Filter: Disabled
  - DNS Filter: Disabled
  - Application Control: Disabled
  - IPS: Disabled
- SSL Inspection:** certificate-inspection (selected)

Exhibit A shows the traffic shaping policy and exhibit B show: the firewall policy

FortiGate is not performing traffic shaping as expected basi on the policies shown in the exhibits.

To correct this traffic shaping issue on FortiGate, what configuration change must be made on which policy?

A. The shaper mode must be applied per-IP shaper on the traffic shaping policy



- B. The application control profile must be enabled on the firewall policy.
- C. The web filter profile must be enabled on the firewall policy
- D. The URL category must be specified on the traffic shaping policy

Correct Answer: C

SD-WAN\_6.4\_Study\_Guide page 131

[NSE7\\_SDW-7.0 PDF  
Dumps](#)

[NSE7\\_SDW-7.0 Exam  
Questions](#)

[NSE7\\_SDW-7.0  
Braindumps](#)