

NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse7_sdw-7-0.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase


- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.



Which statement about the command route-tag in the SD-WAN rule is true?

- A. It enables the SD-WAN rule to load balance and assign traffic with a route tag
- B. It tags each route and references the tag in the routing table.
- C. It uses route tags for a BGP community and assigns the SD-WAN rules with same tag.
- D. It ensures route tags match the SD-WAN rule based on the rule order

Correct Answer: C

QUESTION 2

Which components make up the secure SD-WAN solution?

- A. Application, antivirus, and URL, and SSL inspection
- B. Datacenter, branch offices, and public cloud
- C. FortiGate, FortiManager, FortiAnalyzer, and FortiDeploy
- D. Telephone, ISDN, and telecom network.

Correct Answer: C

QUESTION 3

Which three performance SLA protocols are available on the FortiGate CLI only? (Choose three.)



- A. tcp-echo
- B. icmp
- C. twamp
- D. udp-echo
- E. smtp

Correct Answer: ACD

Command output from a fortigate:

FW-01 (test-health-check) # set protocol

ping Use PING to test the link with the server.


tcp-echo Use TCP echo to test the link with the server. udp-echo Use UDP echo to test the link with the server. http Use HTTP-GET to test the link with the server. twamp Use TWAMP to test the link with the server. dns Use DNS query to test

the link with the server. tcp-connect Use a full TCP connection to test the link with the server.

ftp Use FTP to test the link with the server.

QUESTION 4

Refer to the exhibit.



Two hub-and-spoke groups are connected through a site-to-site IPsec VPN between Hub 1 and Hub 2. The administrator configured ADVPN on both hub-and-spoke groups.

Which two outcomes are expected if a user in Toronto sends traffic to London? (Choose two.)

A. London generates an IKE information message that contains the Toronto public IP address.



- B. Traffic from Toronto to London triggers the dynamic negotiation of a direct site-to-site VPN.
- C. Toronto needs to establish a site-to-site tunnel with Hub 2 to bypass Hub 1.
- D. The first packets from Toronto to London are routed through Hub 1 then to Hub 2.

Correct Answer: BD

QUESTION 5

Refer to Exhibit:

```
config vpn ipsec phase1-interface
  edit "FIRST_VPN"
    set type dynamic
    set interface "port1"
    set peertype any
    set proposal aes-128-sha256 aes256-sha384
    set add-route enable
    set dhgrp 14 15 19
    set xauthtype auto
    set authusrgrp "first-group"
    set psksecret fortinet1
    next
end
```

Which statement is correct it the responder FortiGate is using a dynamic routing protocol over the IPsec VPN interface?

A. The phase 1 type must be changed to static for dynamic routing.

- B. Only dial-up connections without XAuth can be used for the dynamic routing
- C. add-route must be disabled to prevent FortiGate from installing VPN static routes
- D. peertype must be set to accept only one peer ID for a unique VPN interface

Correct Answer: C

Latest NSE7_SDW-7.0 Dumps

NSE7 SDW-7.0 Exam Questions NSE7 SDW-7.0 Braindumps