



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse7_sdwan-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to exhibits. Exhibit A.

Link Status	
Check interval	500 ms
Failures before inactive	3
Restore link after	2 check(s)
Actions when Inactive	
Update static route	<input checked="" type="checkbox"/>

Exhibit B.

```
NGFW-1 # diagnose sys sdwan health-check
Health Check (Ping):
Seq (1 port1): state (alive), packet-loss (0.000%) latency
(6.196), jitter (0.079) sla_map=0x0
Seq (2 port2): state (dead), packet-loss (6.000%) sla_map=0x0
```

Exhibit A, which shows the SD-WAN performance SLA and exhibit B shows the health of the participating SD-WAN members. Based on the exhibits, which statement is correct?

- A. The dead member interface stays unavailable until an administrator manually brings the interface back.
- B. The SLA state of port2 has exceeded three consecutive unanswered requests from the SLA server.
- C. Static routes using port2 are active in the routing table.
- D. FortiGate has not received three consecutive requests from the SLA server configured for port2.

Correct Answer: D

QUESTION 2

Refer to the exhibit.



```
config system virtual-wan-link
  set status enable
  set load-balance-mode source-ip-based
  config members
    edit 1
      set interface "port1"
      set gateway 100.64.1.254
      set source 100.64.1.1
      set cost 15
    next
    edit 2
      set interface "port2"
      set gateway 100.64.2.254
      set priority 10
    next
  end
end
```

Based on the output shown in the exhibit, which two criteria on the SD-WAN member configuration can be used to select an outgoing interface in an SD-WAN rule? (Choose two.)

- A. Set priority 10.
- B. Set cost 15.
- C. Set load-balance-mode source-ip-ip-based.
- D. Set source 100.64.1.1.

Correct Answer: AB

QUESTION 3

Which two settings can you configure to speed up routing convergence in BGP? (Choose two.)

- A. update-source
- B. set-route-tag
- C. holdtime-timer
- D. link-down-failover

Correct Answer: CD

QUESTION 4



Refer to the exhibit.

```
FortiGate # diagnose sys session list

session info: proto=1 proto_state=00 duration=25 expire=34 timeout=0 flags=00000000
socktype=0 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=dirty may_dirty
statistic(bytes/packets/allow_err): org=84/1/1 reply=84/1/1 tupless=2
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
origin->sink: org pre->post, reply pre->post dev=5->4/4->5 gwy=192.168.73.2/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:2246->8.8.8.8:8(192.168.73.132:62662)
hook=pre dir=reply act=dnat 8.8.8.8:62662->192.168.73.132:0(10.0.1.10:2246)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000a2c tos=ff/ff app_list=0 app=0 url_cat=0
rpd_b_link_id= 80000000 rpd_b_svc_id=0 ngfwid=n/a
npu_state=0x040000
total session 1
```

Based on the exhibit, which statement about FortiGate re-evaluating traffic is true?

- A. The type of traffic defined and allowed on firewall policy ID 1 is UDP.
- B. FortiGate has terminated the session after a change on policy ID 1.
- C. Changes have been made on firewall policy ID 1 on FortiGate.
- D. Firewall policy ID 1 has source NAT disabled.

Correct Answer: C

QUESTION 5

Refer to the exhibits. Exhibit A



Edit Traffic Shaping Policy

IP Version

IPv4

IPv6

Name

Limit_YouTube

Status

Enable

Disable

Comments

0/255

If Traffic Matches:

Source Internet Service

☐

Source Address

LAN-net

Source User

+

Source User Group

+

Destination Internet Service

☐

Destination Address

all

Schedule

+

Service

ALL

Application

YouTube

Application Category

+

Application Group

+

URL Category

+

Type Of Service

0x00

Type Of Service Mask

0x00

Then:

Action

Apply Shaper

Assign Group

Outgoing Interface

underlay

Shared Shaper

low-priority

Reverse Shaper

low-priority

Per-IP Shaper

+

Differentiated Services

☐

Differentiated Services Reverse

☐

NSE7_SDW-7.0 PDF Dumps | NSE7_SDW-7.0 VCE Dumps | NSE7_SDW-7.0 Braindumps

5 / 8



Exhibit B



Edit Firewall Policy

ID	1
Name	DIA
ZTNA	Disable Full ZTNA IP/MAC filtering
Incoming Interface	LAN ✕
Outgoing Interface	underlay ✕
Source Internet Service	<input type="checkbox"/>
IPv4 Source Address	LAN-net ✕
IPv6 Source Address	+
Source User	+
Source User Group	+
FSSO Groups	+
Destination Internet Service	<input type="checkbox"/>
IPv4 Destination Address	all ✕
IPv6 Destination Address	+
Service	ALL ✕
Schedule	always ✕
Action	Deny Accept IPSEC
Inspection Mode	Flow-based Proxy-based
Firewall/Network Options	
NAT	<input checked="" type="checkbox"/> NAT NAT46 NAT64
IP Pool Configuration	Use Outgoing Interface Address Use Dynamic IP Pool
Preserve Source Port	<input type="checkbox"/>
Protocol Options	default ✕

Disclaimer Options

Display Disclaimer	<input type="checkbox"/>
Security Profiles	
SSL/SSH Inspection	deep-inspection ✕
Decrypted Traffic Mirror	+
Traffic Shaping Options	
Shared Shaper	+
Reverse Shaper	+
Per-IP Shaper	+
Logging Options	
Log Allowed Traffic	No Log Log Security Events Log All Sessions
	<input type="checkbox"/> Capture Packets
	<input type="checkbox"/> Generate Logs when Session Starts



Exhibit A shows the traffic shaping policy and exhibit B shows the firewall policy.

The administrator wants FortiGate to limit the bandwidth used by YouTube. When testing, the administrator determines that FortiGate does not apply traffic shaping on YouTube traffic.

Based on the policies shown in the exhibits, what configuration change must be made so FortiGate performs traffic shaping on YouTube traffic?

- A. Destination internet service must be enabled on the traffic shaping policy.
- B. Application control must be enabled on the firewall policy.
- C. Web filtering must be enabled on the firewall policy.
- D. Individual SD-WAN members must be selected as the outgoing interface on the traffic shaping policy.

Correct Answer: B

[NSE7_SDW-7.0 PDF Dumps](#)

[NSE7_SDW-7.0 VCE Dumps](#)

[NSE7_SDW-7.0 Braindumps](#)