



NSE7_SDW-7.0^{Q&As}

Fortinet NSE 7 - SD-WAN 7.0

Pass Fortinet NSE7_SDW-7.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse7_sdw-7-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two settings can you configure to speed up routing convergence in BGP? (Choose two.)

- A. update-source
- B. set-route-tag
- C. holdtime-timer
- D. link-down-failover

Correct Answer: CD

QUESTION 2

Refer to the exhibit.

```
FortiGate # diagnose sys session list

session info: proto=1 proto_state=00 duration=25 expire=34 timeout=0 flags=00000000
socktype=0 sockport=0 av_idx=0 use=3
origin-shaper=
reply-shaper=
per_ip_shaper=
class_id=0 ha_id=0 policy_dir=0 tunnel=/ vlan_cos=0/255
state=dirty may_dirty
statistic(bytes/packets/allow_err): org=84/1/1 reply=84/1/1 tupless=2
tx speed(Bps/kbps): 0/0 rx speed(Bps/kbps): 0/0
orgin->sink: org pre->post, reply pre->post dev=5->4/4->5 gwy=192.168.73.2/10.0.1.10
hook=post dir=org act=snat 10.0.1.10:2246->8.8.8.8:8 (192.168.73.132:62662)
hook=pre dir=reply act=dnat 8.8.8.8:62662->192.168.73.132:0 (10.0.1.10:2246)
misc=0 policy_id=1 auth_info=0 chk_client_info=0 vd=0
serial=00000a2c tos=ff/ff app_list=0 app=0 url_cat=0
rpd_b_link_id= 80000000 rpd_b_svc_id=0 ngfwid=n/a
npu_state=0x040000
total session 1
```

Based on the exhibit, which statement about FortiGate re-evaluating traffic is true?

- A. The type of traffic defined and allowed on firewall policy ID 1 is UDP.
- B. FortiGate has terminated the session after a change on policy ID 1.
- C. Changes have been made on firewall policy ID 1 on FortiGate.
- D. Firewall policy ID 1 has source NAT disabled.

Correct Answer: C

**QUESTION 3**

What is the route-tag setting in an SD-WAN rule used for?

- A. To indicate the routes for health check probes.
- B. To indicate the destination of a rule based on learned BGP prefixes.
- C. To indicate the routes that can be used for routing SD-WAN traffic.
- D. To indicate the members that can be used to route SD-WAN traffic.

Correct Answer: B

QUESTION 4

Which two reasons make forward error correction (FEC) ideal to enable in a phase one VPN interface? (Choose two)

- A. FEC transmits the original payload in full to recover the error in transmission.
- B. FEC improves reliability which overcomes adverse WAN conditions such as noisy links.
- C. FEC is useful to increase speed at which traffic is routed through IPsec tunnels.
- D. FEC transmits additional packets as redundant data to the remote device.
- E. FEC reduces the stress on the remote device jitter buffer to reconstruct packet loss

Correct Answer: BD

QUESTION 5

In which two ways does FortiGate learn the FortiManager IP address or FQDN for zero-touch provisioning? (Choose two.)

- A. From a FortiGuard definitions update
- B. From the central management configuration configured in FortiDeploy
- C. From a DHCP server configured with options 240 or 241
- D. From another FortiGate device in the same local network

Correct Answer: BC

<https://www.historiantech.com/zeroish-touch-provisioning-with-fortimanager-explained/>