



NSE8_810^{Q&As}

Fortinet Network Security Expert 8 Written Exam (810)

Pass Fortinet NSE8_810 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/nse8_810.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

The FortiAP profile used by the FortiGate managed AP is shown in the exhibit.

Which two statements are correct in this scenario? (Choose two.)

Edit FortiAP Profile

Platform: FAPS321CR
Country/Region: United States
AP Login Password:

Radio 1
Mode:
WIDS Profile:

Radio 2
Mode:

Radio Resource Provision:
Client Load Balancing: Frequency Handoff AP Handoff
Band: 5 GHz 802.11ac/n/a
Channel Width:

Short Guard Interval Channels:
 36 40 44
 48 149 153
 157 161 165

TX Power Control:
TX Power:
SSIDs:



- A. All FortiAPs using thre profile will nave Radio 1 scan rogue access points.
- B. Map this profile to SSIDs that you want to be available on the FortiAPs using this profile.
- C. All FortiAPs using this profile will have Radio 1 monitor wireless clients.
- D. Interference will be prevented between FortiAPs using this profile.

Correct Answer: AD

QUESTION 2

Click the Exhibit button.



Exhibit



```
FS448D-A (LAG-1) # show
config switch trunk
edit "LAG-1"
set mode lacp-active
set-mclag-icl enable
set members "port13" "port14"
next
end

FS448D-B (LAG-2) # show
config switch trunk
edit "LAG-2"
set mode lacp-active
set-mclag-icl enable
set members "port13" "port14"
next
end

FortiGate-A # show switch-controller managed-switch
config switch-controller managed-switch
edit FS448D-A
config ports
edit "LAG-3"
set type trunk
set mode lacp-active
set mclag enable
set members "port15"
next
end
next
edit FS448D-B
config ports
edit "LAG-3"
set type trunk
set mode lacp-active
set mclag enable
set members "port15"
next
end
next
end
```



Referring to the exhibit, which two statements are true? (Choose two.)

- A. port13 and port14 on FS448D-A should be connected to port13 and port14 on FS448D-B
- B. LAG-1 and LAG 2 should be connected to a single 4-port 802 3ad interface on the FortiGate-A.
- C. LAG-3 on switches on FS448D-A and FS448D-B may be connected to a single 802 3ad trunk on another device.
- D. LAG-1 and LAG-2 should be connected to a 4-port single 802 3ad trunk on another device.

Correct Answer: BC

QUESTION 3

Exhibit

Click the Exhibit button. Referring to the exhibit, which two behaviors will the FortiClient endpoint have after receiving the profile update from the FortiClient EMS? (Choose two.)

Profile Name	Default				
AntiVirus	Sanbox	Web Filter	Firewall	VPN	Vulnerability Scan
Sandbox Detection <input checked="" type="radio"/>					
Server					
IP Address/Hostname <input type="text" value="172.16.1.12"/>					
<input checked="" type="radio"/> Wait for FortiSandbox Results before Allowing File Access					
<input checked="" type="radio"/> Deny Access to File If FortiSandbox Is Unreachable					
Timecut <input type="text" value="60 seconds"/>					
Access will be allowed if results are not received when then timeout expires. Set to -1 to infinitely restrict access.					
Submission					
<input checked="" type="radio"/> All Files Executed from Removable Media					
<input type="radio"/> All Files Executed from Mapped Network Drives					
<input checked="" type="radio"/> All Web Downloads					
<input checked="" type="radio"/> All Email Downloads					

- A. Files executed from a mapped network drive will not be inspected by the FortiClient endpoint Antivirus engine.



B. The user will not be able to access a Web downloaded file for at least 60 seconds when the FortiSandbox is reachable.


C. The user will not be able to access a Web downloaded file for a maximum of 60 seconds if it is not a virus and the FortiSandbox is reachable.

D. The user will not be able to access a Web downloaded file when the FortiSandbox is unreachable.

Correct Answer: AC

QUESTION 4

Click the Exhibit button.



Referring to the exhibit, a FortiADC is load balancing IPv4 traffic between two next-hop routers. The FortiADC does not know the IP addresses of the servers. Also, the FortiADC is doing Layer 7 content inspection and modification.

In this scenario, which application delivery control is configured in the FortiADC?

A. Layer 2

B. Layer 3

C. Layer 4

D. Layer 7

Correct Answer: C

QUESTION 5

You want to manage a FortiCloud service. The FortiGate shows up in your list devices on the FortiCloud Web site, but all management functions are either missing or grayed out. Which statement is correct in this scenario?

A. The managed FortiGate is running a version of FortiOS that is either too new or too old for FortiCloud.

B. The managed FortiGate requires that a FortiCloud management license be purchased and applied.

C. You must manually configure system control-management on the FortiGate CLI and set the management type to fortiguard.



D. The management tunnel mode on the managed FortiGate must be changed to normal.

Correct Answer: C

[Latest NSE8_810 Dumps](#)

[NSE8_810 VCE Dumps](#)

[NSE8_810 Practice Test](#)