



OMNISTUDIO-DEVELOPER^{Q&As}

Salesforce Certified OmniStudio Developer

Pass Salesforce OMNISTUDIO-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/omnistudio-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Why would a developer clone an Integration Procedure instead of versioning it?

- A. The new Integration Procedure uses a Cache Block.
- B. The new Integration Procedure it replacing stub data.
- C. The new Integration Procedure will be used independently
- D. The new Integration Procedure is Chainable.

Correct Answer: C

QUESTION 2


Which two fields in an Integration Procedure can use a function like CONCAT or DATEDIFF? Choose 2 answers

- A. In Procedure Configuration, in a Tracking Custom Data value field.
- B. In a Remote Action, in a Remote Options value field.
- C. In a Remote Action, in an Additional Output value field.
- D. In a Response Action, in an Additional input value field.

Correct Answer: CD

QUESTION 3

Refer to the exhibit below. In this Integration Procedure structure, what Send JSON Path would you use to send the output of the ActionZ element to a Response Action?



- A. BlockX.BlockYActionZ
- B. ActionZ:BlockY:BlockX
- C. ActionZ:BlockY:BlockX
- D. BlockX:BlockY:ActionAZ

Correct Answer: D

QUESTION 4

A developer is creating an OmniScript that Provisions trial orgs to their customers. The following text block in the OmniScript uses a merge code to display the ID for the new trial org:

Welcome to Salesforce

Your ID is %Details: Customer10:ID%

During testing, the developer notices that the ID does not display. The data JSON is structured as shown below.

How should the developer correct the merge code in order for the ID to display?



```
{
  "Details": {
    "Customer": {
      "ID": "123456"
    }
  }
}
```

- A. To %%Details:Customer|0:ID%%
- B. To %%Details:Customer|n:ID%
- C. To %%Details:Customer|1:ID%
- D. To \$Details:Customer|0:ID\$

Correct Answer: C

QUESTION 5

An integration procedure contains a Remote Action element that calls a method of an APEX class. The method requires two fields are input: AccountId and ProductId. The integration Procedure data JSON contains the following nodes:

How should the Remote Action element be configured to pass the data correctly to the method?

- A. Check the Send Only Additional Input checkbox, and the following/ value pairs to Additional input:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

- B. Set Return Only Additional Output to true, and add the following Key/Value pairs to additional input.

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

- C. Check the DataRaptor Transform checkbox, and add the following Key/Value pairs to Output JSON Path:

```
* AccountId: %AccountId%
* ProductId: %Details:ProductId%
```

- D. Add the following to Send JSON Path: accountId: %Accountd% ProductId% Details Products%

- A. Option A
- B. Option B
- C. Option C



D. Option D

Correct Answer: B

[Latest OMNISTUDIO-DEVELOPER Dumps](#)

[OMNISTUDIO-DEVELOPER PDF Dumps](#)

[OMNISTUDIO-DEVELOPER Braindumps](#)