



P2090-011^{Q&As}

IBM InfoSphere Change Data Capture Technical Mastery Test v2

Pass IBM P2090-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/p2090-011.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following will be a valid SOURCE for "InfoSphere Change Data Capture (CDC) for Oracle Triggers"?

- A. Local Oracle databases running on any supported platform
- B. Remote Oracle databases running on any supported platform
- C. Both local and remote Oracle databases running on any supported platform
- D. Heterogeneous databases running on any supported platform

Correct Answer: A

QUESTION 2

How are the CDC subscription and DataStage job started when the "Auto start" option is not enabled?

- A. Start the DataStage Job first, then start the CDC subscription
- B. Start the CDC subscription first, then start the DataStage job
- C. Start only the CDC subscription, and the DataStage job will be started automatically
- D. It is not possible to start DataStage job, if "Auto start" option is not enabled

Correct Answer: B

QUESTION 3

Which of the following sets of user roles is supported in CDC?

- A. System Administrator, Administrator, Operator and Monitor
- B. System Administrator, Database Administrator, Operator and Monitor
- C. System Administrator, Administrator, Replication User and Monitor
- D. System Administrator, Database Administrator, Replication User and Monitor

Correct Answer: A

QUESTION 4

Which of the following products is best suited for heterogeneous data replication between DB2 and SQL Server?

- A. InfoSphere Replication Server
- B. InfoSphere Classic Replication Server



C. InfoSphere Change Data Capture (CDC)

D. InfoSphere DB2 Connect

Correct Answer: C

QUESTION 5

Which additional step is required to configure bi-directional replication?

A. check the '\\Prevent Recursion\\' box

B. specify Primary Key

C. specify a Unique Index

D. restart the CDC source instance

Correct Answer: A

[P2090-011 PDF Dumps](#)

[P2090-011 Study Guide](#)

[P2090-011 Exam Questions](#)