



# P2090-078<sup>Q&As</sup>

IBM InfoSphere MDM Standard Edition Technical Mastery Test v1

## Pass IBM P2090-078 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/p2090-078.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Why does the Threshold Calculator need a set of sample matched pairs?

- A. To show how many tasks are in the Hub
- B. Because False Positives and False Negatives need to be purged from the database
- C. To show the hub how willing the customer is to trust the matching and linking process
- D. Sample pairs, when validated by the customer, show the calculator where False Positives and Negatives are

Correct Answer: C

---

### QUESTION 2

Which table would store Edit Distance weights for comparing Driver's License combined with a Postal Code?

- A. mpi\_wgt2dim
- B. mpi\_wgtHead
- C. mpi\_wgt1dim
- D. mpi\_wgtNval

Correct Answer: A

---

### QUESTION 3

Which field contains the primary identifier that was generated by the source system?

- A. MemRecNo
- B. MemIdNum
- C. MemSeqNo
- D. MemIdent

Correct Answer: B

---

### QUESTION 4

In which table would you find the user ID of each person who has logged into an Initiate application?

- A. mpi\_ScrtXUsr
- B. mpi\_UsrProp



C. mpi\_UsrHead

D. mpi\_PassHead

Correct Answer: C

---

#### QUESTION 5

What table stores historical Enterprise Id changes?

A. mpi\_EntLink\_id

B. mpi\_MemHist

C. mpi\_EntXEia\_id

D. mpi\_MemXEia

Correct Answer: C

[P2090-078 VCE Dumps](#)

[P2090-078 Study Guide](#)

[P2090-078 Braindumps](#)