



# P\_SECAUTH\_21<sup>Q&As</sup>

SAP Certified Technology Professional - System Security Architect

## Pass SAP P\_SECAUTH\_21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.pass4itsure.com/p\\_secauth\\_21.html](https://www.pass4itsure.com/p_secauth_21.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which tool do you use to customize the SAP HANA default password policy? Note: There are 2 correct answers to this question.

- A. SAP HANA Lifecycle Manager
- B. SAP HANA Studio
- C. SAP HANA Cockpit
- D. SAP Web IDE

Correct Answer: BD

---

**QUESTION 2**

The SAP HANA database is installed with multi database container (MDC) mode with multiple tenant databases configured.

What are the required activities to enable access between tenants? Note: There are 2 correct answers to this question.

- A. Create user mapping between local and remote tenant databases
- B. Configure smart data access (SDA) between the relevant HANA tenants
- C. Set whitelist of cross-tenant database communication channel
- D. Decrease the level of isolation mode on all MDC tenants

Correct Answer: AC

---

**QUESTION 3**

How can you protect a table containing sensitive data using the authorization object S\_TABU\_DIS?

- A. The tables containing sensitive data must be associated with table groups in table TBRG.
- B. The field DICBERCLS of the authorization object must enumerate all table names of the tables containing sensitive data.
- C. Authorization table groups containing tables with sensitive data must be defined in table TDDAT and these must be omitted for all employees who do not need access to these tables
- D. The tables containing sensitive data must be named using the authorization object S\_TABU\_DIS for all responsible administrator employees. The fields DICBERCLS of the object S\_TABU\_DIS can then be filled with \*.

Correct Answer: C

---



#### QUESTION 4

What reference is used to connect multiple Cloud Connectors to one SAP Cloud Platform subaccount?

- A. System Alias
- B. Location ID
- C. Instance ID
- D. Virtual Host

Correct Answer: B

---

#### QUESTION 5

You have an HR table for which you want to create a role to provide users the ability to display and change its table content based on the country groupings.

Which of the steps would you take to accomplish these requirements? Note: There are 2 correct answers to this question.

- A. Maintain the authorization object S\_TABU\_LIN
- B. Create an authorization group with appropriate authorization fields for the table
- C. Define an organization criterion through transaction SPRO
- D. Maintain the authorization object S\_TABU\_NAM

Correct Answer: AC

[P\\_SECAUTH\\_21 PDF Dumps](#)

[P\\_SECAUTH\\_21 Practice Test](#)

[P\\_SECAUTH\\_21 Study Guide](#)