



P_SECAUTH_21^{Q&As}

SAP Certified Technology Professional - System Security Architect

Pass SAP P_SECAUTH_21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/p_secauth_21.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You have implemented CUA in your organization and you want to set the field distribution attribute as follows: Maintain a default value in the central system that is automatically distributed to the child systems when you create a user. After distribution, the data is maintained only locally and is no longer distributed if you change it in the central or child system.

Which field distribution parameter do you maintain?

- A. Redistribution
- B. Local
- C. Global
- D. Proposal

Correct Answer: D

QUESTION 2

Insufficient authorization checks might allow A BAP programs to access the PSE files. Which authorization objects should we check to protect the PSEs? Note: There are 2 correct answers to this question.

- A. S_RZL_ADM
- B. S_DATASET
- C. S_ADMI_FCD
- D. S_DEVELOP

Correct Answer: AB

QUESTION 3

You are running an SAP HANA database in a multi database container (MDC) mode with a single tenant configured. The global_auditing_state parameter has been set to "true" on the global.ini. After restarting the system and tenant databases, the tenant did not come up. When checking the cause, it was discovered that a tenant configuration parameter has been changed. The audit logging did NOT show any events.

What could be the reason for this? Note: There are 2 correct answers to this question.

- A. The system was offline when the changes were done
- B. The audit level was set to INFO
- C. The global_auditing_state parameter on the nameserver.ini file needs to be activated
- D. The configuration parameter was changed from the OS level



Correct Answer: CD

QUESTION 4

What are the characteristics of assertion tickets? Note: There are 2 correct answers to this question.

- A. They are used for user-to-system trusted login
- B. They are used for system-to-system communication
- C. They have an unconfigurable validity of 2 minutes
- D. They are transmitted as cookies

Correct Answer: BC

QUESTION 5

How do you check when and by whom profiles were assigned or deleted?

- A. Run report RSUSR008_009_NEW with appropriate filters
- B. Run report RSUSR100 with appropriate filters
- C. Check system trace using transaction ST01
- D. Check security audit log using transact on SM20

Correct Answer: B

[Latest P_SECAUTH_21 Dumps](#)

[P_SECAUTH_21 PDF Dumps](#)

[P_SECAUTH_21 Exam Questions](#)