



PAS-C01^{Q&As}

AWS Certified: SAP on AWS - Specialty exam

Pass Amazon PAS-C01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pas-c01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Amazon
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A company wants to migrate its SAP ERP landscape to AWS. The company will use a highly available distributed deployment for the new architecture. Clients will access SAP systems from a local data center through an AWS Site-to-Site VPN connection that is already in place. An SAP solutions architect needs to design the network access to the SAP production environment.

Which configuration approaches will meet these requirements? (Select TWO.)

- A. For the ASCS instance, configure an overlay IP address that is within the production VPC CIDR range. Create an AWS Transit Gateway. Attach the VPN to the transit gateway. Use the transit gateway to route the communications between the local data center and the production VPC. Create a static route on the production VPC to route traffic that is directed to the overlay IP address to the ASCS instance.
- B. For the ASCS instance, configure an overlay IP address that is outside the production VPC CIDR range. Create an AWS Transit Gateway. Attach the VPN to the transit gateway. Use the transit gateway to route the communications between the local data center and the production VPC. Create a static route on the production VPC to route traffic that is directed to the overlay IP address to the ASCS instance.
- C. For the ASCS instance, configure an overlay IP address that is within the production VPC CIDR range. Create a target group that points to the overlay IP address. Create a Network Load Balancer and register the target group. Create a static route on the production VPC to route traffic that is directed to the overlay IP address to the ASCS instance.
- D. For the ASCS instance, configure an overlay IP address that is outside the production VPC CIDR range. Create a target group that points to the overlay IP address. Create a Network Load Balancer, and register the target group. Create a static route on the production VPC to route traffic that is directed to the overlay IP address to the ASCS instance.
- E. For the ASCS instance, configure an overlay IP address that is outside the production VPC CIDR range. Create a target group that points to the overlay IP address. Create an Application Load Balancer and register the target group. Create a static route on the production VPC to route traffic that is directed to the overlay IP address to the ASCS instance.

Correct Answer: AB

QUESTION 2

An SAP specialist is budding an SAP environment. The SAP environment contains Amazon EC2 instances that run in a private subnet in a VPC. The VPC includes a NAT gateway.

The SAP specialist is setting up IBM Db2 high availability disaster recovery for the SAP cluster. After configuration of the overlay IP address, routing traffic is not routing to the database EC2 instances.

What should the SAP specialist do to resolve this issue?

- A. Open a security group for SAP ports.

Correct Answer: B

QUESTION 3



A company hosts multiple SAP applications on Amazon EC2 instances in a VPC. While monitoring the environment, the company notices that multiple port scans are attempting to connect to SAP portals inside the VPC. These port scans are originating from the same IP address block. The company must deny access to the VPC from all the offending IP addresses for the next 24 hours.

Which solution will meet this requirement?

- A. Modify network ACLs that are associated with all public subnets in the VPC to deny access from the IP address block
- B. Add a rule in the security group of the EC2 instances to deny access from the IP address block
- C. Create a policy in AWS Identity and Access Management (IAM) to deny access from the IP address block
- D. Configure the firewall in the operating system of the EC2 instances to deny access from the IP address block

Correct Answer: C

QUESTION 4

A global retail company is running its SAP landscape on AWS. Recently, the company made changes to its SAP Web Dispatcher architecture. The company added an additional SAP Web Dispatcher for high availability with an Application Load Balancer (ALB) to balance the load between the two SAP Web Dispatchers.

When users try to access SAP through the ALB, the system is reachable. However, the SAP backend system is showing an error message. An investigation reveals that the issue is related to SAP session handling and distribution of requests. The company confirmed that the system was working as expected with one SAP Web Dispatcher. The company replicated the configuration of that SAP Web Dispatcher to the new SAP Web Dispatcher.

How can the company resolve the error?

- A. Maintain persistence by using session cookies. Enable session stickiness (session affinity) on the SAP Web Dispatchers by setting the `wdisp/HTTP/esid_support` parameter to `True`.
- B. Maintain persistence by using session cookies. Enable session stickiness (session affinity) on the ALB.
- C. Turn on host-based routing on the ALB to route traffic between the SAP Web Dispatchers.
- D. Turn on URL-based routing on the ALB to route traffic to the application based on URL.

Correct Answer: C

QUESTION 5

A company is running an SAP HANA database on AWS. The company is running the AWS Backup Agent for SAP HANA (AWS Backup agent) on an Amazon EC2 instance. The AWS Backup agent is configured to back up to an Amazon S3 bucket. The backups are failing with an `AccessDenied` error in the AWS Backup agent log file.

What should an SAP basis administrator do to resolve this error?

- A. Assign execute permissions at the operating system level for the AWS Backup agent binary and for the AWS Backup agent.
- B. Assign an IAM role to an EC2 instance. Attach a policy to the IAM role to grant access to the target S3 bucket.



C. Assign the correct Region ID for the S3BucketAwsRegion parameter in AWS Backint agent for the SAP HANA configuration file

D. Assign the value for the Enable Tagging parameter in AWS Backint agent for the SAP HANA configuration file

Correct Answer: D

[Latest PAS-C01 Dumps](#)

[PAS-C01 PDF Dumps](#)

[PAS-C01 Exam Questions](#)