



PCAP^{Q&As}

Certified Associate in Python Programming

Pass Python Institute PCAP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pcap-31-02.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Python Institute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the listed actions can be applied to the following tuple? (Select two answers)


```
tup = ()
```

- A. tup [:]
- B. tup.append (0)
- C. tup [0]
- D. del tup

Correct Answer: C

QUESTION 2

```
9 lst=[1,2,3,4]
10 lst=lst[-3:-2]
11 lst=lst[-1]
12 print (lst)
```



```
2
...Program finished with exit code 0
Press ENTER to exit console.
```

What is the expected output of the following snippet?

```
s= 'abc'
for i in len(s):
    s[i] = s[i].upper ( )
print(s)
```

- A. abc



B. The code will cause a runtime exception

C. ABC

D. 123

Correct Answer: B

```
9 s='abc'
10 for i in len(s):
11     s[i] = s[i].upper()
12 print(s)
```

Traceback (most recent call last):
File "/home/main.py", line 10, in <module>
for i in len(s):
TypeError: 'int' object is not iterable

...Program finished with exit code 1
Press ENTER to exit console.

QUESTION 3

Which line can be used instead of the comment to cause the snippet to produce the following expected output? (Select two answers)

Expected output: 1 2 3

Code:

```
c, b, a = 1, 3, 2
# put line here
print (a, b, c)
```

A. c, b, a = b, a, c

B. c, b, a = a, c, b

C. a, b, c = c, a, b

D. a, b, c = a, b, c

Correct Answer: C



QUESTION 4

Which of the following expressions evaluate to True? (Choose two.)

A. `ord("z") - ord("Z") == ord("0")`

B. `len(" "" ") > 0`

C. `chr(ord('a') + 1) == 'B'`

D. `len('\\\\') == 1`

Correct Answer: AD

QUESTION 5

The first parameter of each method:

A. holds a reference to the currently processed object

B. is always set to None

C. is set to a unique random value

D. is set by the first argument's value

Correct Answer: D

Reference: <https://pythontips.com/2013/08/07/the-self-variable-in-python-explained/>

[Latest PCAP Dumps](#)

[PCAP PDF Dumps](#)

[PCAP Study Guide](#)