



PCNSE^{Q&As}

Palo Alto Networks Certified Security Engineer (PCNSE) PAN-OS 11.x

Pass Palo Alto Networks PCNSE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pcnse.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator with 84 firewalls and Panorama does not see any WildFire logs in Panorama.

All 84 firewalls have an active WildFire subscription On each firewall WildFire logs are available.

This issue is occurring because forwarding of which type of logs from the firewalls to Panorama is missing?

- A. System logs
- B. Traffic logs
- C. WildFire logs
- D. Threat logs

Correct Answer: C

QUESTION 2

In an existing deployment, an administrator with numerous firewalls and Panorama does not see any WildFire logs in Panorama.

Each firewall has an active WildFire subscription On each firewall. WildFire logs are available.

This issue is occurring because forwarding of which type of logs from the firewalls to Panorama is missing?

- A. Threat logs
- B. Traffic logs
- C. System logs
- D. WildFire logs

Correct Answer: A

Access to the WildFire logs from Panorama requires the following: a WildFire subscription, a File Blocking profile that is attached to a Security rule, and Threat log forwarding to Panorama. <https://docs.paloaltonetworks.com/panorama/10-2/panorama-admin/monitor-network-activity/use-case-respond-to-an-incident-using-panorama/review-wildfire-logs>

QUESTION 3

The SSL Forward Proxy decryption policy is configured. The following four certificate authority (CA) certificates are installed on the firewall.



| <input type="checkbox"/> | NAME | SUBJECT | ISSUER | CA | KEY | EXPIRES | STATUS | ALGO... |
|--------------------------|-----------------------------|----------------------------------|----------------------------------|-------------------------------------|-------------------------------------|-------------------|--------|---------|
| <input type="checkbox"/> | Forward-Trust-Certificate | CN = Forward-Trust-Certificate | CN = Forward-Trust-Certificate | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Feb 10 02:48:4... | valid | RSA |
| <input type="checkbox"/> | Forward-Untrust-Certificate | CN = Forward-Untrust-Certificate | CN = Forward-Untrust-Certificate | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Feb 10 02:49:0... | valid | RSA |
| <input type="checkbox"/> | Firewall-CA | CN = Firewall-CA | CN = Firewall-CA | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Feb 10 02:55:2... | valid | RSA |
| <input type="checkbox"/> | Firewall-Trusted-Root-CA | CN = Firewall-Trusted-Root-CA | CN = Firewall-Trusted-Root-CA | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Feb 10 02:56:4... | valid | RSA |

An end-user visits the untrusted website <https://www.firewall-do-not-trust-website.com>.

Which certificate authority (CA) certificate will be used to sign the untrusted webserver certificate?

- A. Forward-Untrust-Certificate
- B. Forward-Trust-Certificate
- C. Firewall-CA
- D. Firewall-Trusted-Root-CA

Correct Answer: B

QUESTION 4

When configuring a GlobalProtect Portal, what is the purpose of specifying an Authentication Profile?

- A. To enable Gateway authentication to the Portal
- B. To enable Portal authentication to the Gateway
- C. To enable user authentication to the Portal
- D. To enable client machine authentication to the Portal

Correct Answer: C

The additional options of Browser and Satellite enable you to specify the authentication profile to use for specific scenarios. Select Browser to specify the authentication profile to use to authenticate a user accessing the portal from a web browser with the intent of downloading the GlobalProtect agent (Windows and Mac). Select Satellite to specify the authentication profile to use to authenticate the satellite. Reference

<https://www.paloaltonetworks.com/documentation/71/panos/web-interface-help/globalprotect/network-globalprotect-portals>

QUESTION 5

Refer to the exhibit.



| Device Group: DATACENTER_DG | | | |
|-----------------------------|----------|---------------|---------|
| | NAME | LOCATION | ADDRESS |
| <input type="checkbox"/> | Server-1 | DATACENTER_DG | 2.2.2.2 |
| <input type="checkbox"/> | Server-1 | Shared | 1.1.1.1 |

| Device Group: DC_FW_DG | | | |
|--------------------------|----------|----------|---------|
| | NAME | LOCATION | ADDRESS |
| <input type="checkbox"/> | Server-1 | DC_FW_DG | 3.3.3.3 |
| <input type="checkbox"/> | Server-1 | Shared | 1.1.1.1 |

| Device Group: FW-1_DG | | | |
|--------------------------|----------|----------|---------|
| | NAME | LOCATION | ADDRESS |
| <input type="checkbox"/> | Server-1 | FW-1_DG | 4.4.4.4 |
| <input type="checkbox"/> | Server-1 | Shared | 1.1.1.1 |

| <input type="checkbox"/> | NAME ^ |
|--------------------------|---------------|
| <input type="checkbox"/> | Shared |
| <input type="checkbox"/> | DATACENTER_DG |
| <input type="checkbox"/> | DC_FW_DG |
| <input type="checkbox"/> | FW-1_DG |
| <input type="checkbox"/> | REGIONAL_DG |
| <input type="checkbox"/> | OFFICE_FW_DG |

Review the screenshots and consider the following information:

1.

FW-1 is assigned to the FW-1_DG device group, and FW-2 is assigned to OFFICE_FW_DG.

2.

There are no objects configured in REGIONAL_DG and OFFICE_FW_DG device groups. Which IP address will be pushed to the firewalls inside Address Object Server-1?

- A. Server-1 on FW-1 will have IP 1.1.1.1. Server-1 will not be pushed to FW-2.
- B. Server-1 on FW-1 will have IP 3.3.3.3. Server-1 will not be pushed to FW-2.
- C. Server-1 on FW-1 will have IP 2.2.2.2. Server-1 will not be pushed to FW-2.
- D. Server-1 on FW-1 will have IP 4.4.4.4. Server-1 on FW-2 will have IP 1.1.1.1.

Correct Answer: D

FW-1 will get the value from FW-DG1 while FW-2 will get the value from the Shared DG since no values are present in its parent DGs. <https://docs.paloaltonetworks.com/panorama/9-1/panorama-admin/manage-firewalls/manage-devicegroups/manage-precedence-of-inherited-objects>



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/pcnse.html>

2024 Latest pass4itsure PCNSE PDF and VCE dumps Download

[PCNSE PDF Dumps](#)

[PCNSE VCE Dumps](#)

[PCNSE Braindumps](#)