



# PCSAE<sup>Q&As</sup>

Palo Alto Networks Certified Security Automation Engineer

## Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pcsae.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which three authentication methods are supported when logging into XSOAR? (Choose three.)

- A. OTP token
- B. User name and password
- C. SAML
- D. Active Directory authentication
- E. RADIUS

Correct Answer: CDE

Reference: <https://www.paloguard.com/GlobalProtect.asp>

---

### QUESTION 2

An engineer wants to customize the regex for the default IP indicator type. How can this change be implemented?

- A. Create a new indicator type and disable the built-in IP indicator
- B. Edit the regex of the default IP Indicator
- C. Add a new server configuration key that will overwrite the default regex of the IP indicator
- D. Delete the default IP indicator

Correct Answer: A

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/manage-indicators/understand-indicators/indicator-types/indicator-type-profile.html>

---

### QUESTION 3

An engineer deployed two different instances of Active Directory for each organization site. As part of account enrichment use case, the engineer would like to delete a user from one specific site.

Which command will accomplish this?

- A. run ``ad-delete-user`` command with ``user-dn`` arg and `using-brand="Active Directory Query v2"`
- B. run ``ad-delete-user`` command with ``user-dn`` arg and `raw-response=true`
- C. run ``ad-delete-user`` command with ``user-dn`` arg and `ignore-outputs=true`
- D. run ``ad-delete-user`` command with ``user-dn`` arg and `using="Active Directory Query v2_instance_1"`

Correct Answer: A



#### QUESTION 4

How long is the trial period for paid content packs?

- A. 30 days
- B. 14 days
- C. 7 days
- D. 60 days

Correct Answer: A

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/6-0/cortex-xsoar-admin/marketplace/marketplace-subscriptions.html>

---

#### QUESTION 5

Management would like to get an incident report automatically following an incident's closure.

How would this be accomplished?

- A. Define a task in a playbook to generate an incident report before the closure occurs
- B. Manually create an `Incident Report`
- C. Configure post-processing using a script
- D. Create an `Incident Report` from the Reports page

Correct Answer: D

[PCSAE PDF Dumps](#)

[PCSAE VCE Dumps](#)

[PCSAE Study Guide](#)