



# PCSAE<sup>Q&As</sup>

Palo Alto Networks Certified Security Automation Engineer

## Pass Palo Alto Networks PCSAE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pcsae.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two features does XSOAR offer to help recover from a server failure? (Choose two.)

- A. Live backup (disaster recovery)
- B. Distributed database
- C. Backup data to XSOAR engines
- D. Local backup

Correct Answer: AC

---

### QUESTION 2

When creating a new tab in the layout, which section cannot be added?

- A. Retrieve widget chart based on script
- B. Related incidents
- C. War room entries picked by entry query
- D. Incident team members

Correct Answer: B

Explanation: <https://docs-cortex.paloaltonetworks.com/r/Cortex-XSOAR/6.6/Cortex-XSOAR-Administrator-Guide/Customize-Incident-Layouts>

---

### QUESTION 3

Which two statements describe how timers are configured to start and stop automatically in a playbook? (Choose two.)

- A. Use a field of Number to count the number of seconds elapsed between two tasks
- B. After the playbook has run, calculate the total time taken and set the timer field with this value
- C. To begin counting time taken, add a task in the playbook with automation startTimer. To end the counting, add a task with automation stopTimer
- D. From the Timers tab of the playbook task, choose the action for the timer and the timer field to perform the action on

Correct Answer: CD

---

### QUESTION 4

After enriching a username using Active Directory, an engineer would like to send an email to the user's manager.



However, this functionality is not part of the command output. The engineer checks with `raw-response=true` and notices that the `manager\`'s email is returned, but not saved in the context.

How can the engineer save the data so it will be accessible?

- A. Mark ignore output = true
- B. Use extend-context
- C. Use raw-response = save
- D. Mark ignore input = true

Correct Answer: B

Reference: <https://docs.paloaltonetworks.com/cortex/cortex-xsoar/5-5/cortex-xsoar-admin/playbooks/extend-context/extend-context-using-the-command-line.html>

---

#### QUESTION 5

What are two primary uses of standard tasks? (Choose two.)

- A. To highlight different paths in a playbook
- B. To generate new widgets for a dashboard
- C. To create an incident or escalate an existing incident
- D. To automate tasks such as parsing a file or enriching indicators

Correct Answer: CD

[PCSAE VCE Dumps](#)

[PCSAE Practice Test](#)

[PCSAE Study Guide](#)