



# PDII<sup>Q&As</sup>

Salesforce Certification for Platform Developer II

## Pass Salesforce PDII Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pdii.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the code snippet below:

```
01 public void createChildRecord(String externalIdentifier){  
02     Account parentAccount;  
03  
04     Contact newContact = new Contact();  
05     newContact.Account = parentAccount;  
06  
07     insert(newContact);  
08 }
```

As part of an Integration development effort, a developer is tasked to create an Apex method that solely relies on the use of foreign identifiers in order to relate new contact records to existing Accounts in Salesforce. The account object contains a field marked as an external ID, the API Name of this field is Legacy\_Id\_\_c.

What is the most efficient way to instantiate the parentAccount variable on line 02 to ensure the newly created contact is properly related to the Account?

- A. `Account parentAccount = [SELECT Id FROM Account WHERE Legacy_Id__c = :externalIdentifier].Id;`
- B. `Account parentAccount = new Account(Legacy_Id__c = externalIdentifier);`
- C. `Account parentAccount = [SELECT Id FROM Account WHERE Legacy_Id__c = :externalIdentifier];`
- D. `Account parentAccount = new Account();`  
`parentAccount.Id = externalIdentifier;`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

---

**QUESTION 2**

What is the transaction limit for the number of records per DML statement?

A. 5,000

B. 20,000



- C. 50,000
- D. 10,000
- E. There is no limit

Correct Answer: D

---

### QUESTION 3

A developer created a custom component to display an HTML table. The developer wants to be able to use the component on different Visualforce Pages and specify different header text for the table. Which tag should the developer use inside the component?

- A.
- B.
- C.
- D.

Correct Answer: D

---

### QUESTION 4

A developer wrote an Apex method that makes an HTTP callout to an external system to get specialized data when a button is clicked from a custom Lightning web component on the Account record page.

Recently, users have complained that it takes longer than desired for the data to appear on the page after clicking the button.

What should the developer use to troubleshoot this issue?

- A. Lightning Inspector
- B. Devdoper Console
- C. Salesforce CU
- D. Event Logs

Correct Answer: A

---

### QUESTION 5

The head of recruiting at Universal Containers wants to provide all internal users the ability to search for open positions by role, department, and location via a new recruiting app. In addition to search, users of the app should be able to refer a friend, apply for a position, and review the status of their current submissions. The app should be made available in Salesforce Mobile, but offline access is not required.



Given these requirement, what is the recommended approach to develop the app?

- A. Lightning Experience Builder
- B. Salesforce SDK
- C. Visualforce
- D. Lightning Web Components

Correct Answer: B

[PDII PDF Dumps](#)

[PDII VCE Dumps](#)

[PDII Exam Questions](#)