



PDII^{Q&As}

Salesforce Certification for Platform Developer II

Pass Salesforce PDII Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/pdii.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Universal Containers needs to integrate with an external system. The process is initiated when a record is created in Salesforce. The remote system does not require Salesforce to wait for a response before continuing. What should the developer use to accomplish this?

- A. Trigger with HTTP callout
- B. PushTopic event
- C. Outbound message
- D. Platform event

Correct Answer: A

QUESTION 2

An org has a custom object, Part__c. Its records are regularly imported from the company's Enterprise Resource Planning (ERP) system. What can be used to ensure the correct Part__c records are updated in Salesforce when imports are made?

- A. A Formula field
- B. An External ID field
- C. A Master-detail field
- D. A Lookup field

Correct Answer: B

Reference: https://help.salesforce.com/articleView?language=en_US&type=1&mode=1&id=000313396

QUESTION 3

The "Webservice" keyword_____.

- A. Method must be static, and class must be global
- B. Can be used on all classes
- C. Used for any member variables included
- D. All of the above

Correct Answer: D

QUESTION 4



Choose the correct definition for .

- A. Allows for controller methods to be called directly from Javascript. Must be encapsulated in tags. Unlike `actionSupport`, these functions can be called directly from Javascript code
- B. Sends an AJAX request according to the time interval you specify. If this ever gets re-rendered, it resets
- C. AJAX support to another component (e.g. `onClick`, `onMouseUp`, `onFocus`, etc.)
- D. Can be associated with an AJAX request (`actionFunction/actionSupport/actionPoller`) and shows content conditionally depending on the status of the request (in progress/complete). Use the "id" field to specify name; use "status" field on related components to connect them
- E. Signifies which components should be processed by the server when an AJAX request is generated

Correct Answer: A

QUESTION 5

A developer is tasked by Universal Containers to build out a system to track the container repair process. Containers should be tracked as they move through the repair process, starting when a customer reports an issue and ending when the container is returned to the customer.

Which solution meets these business requirements while following best practices?

- A. Build a mobile application using Platform Events and RFID integration to ensure proper tracking of the containers and keep the customer informed.
- B. Involve a Salesforce administrator and build out a declarative solution that will be easy to maintain and likely cost less than customized development.
- C. Build a customized Lightning Application using Application Events to ensure data integrity.
- D. Develop a new system with automated notification to move the containers through the repair process while notifying the customer that reported the issue.

Correct Answer: D

[PDII Study Guide](#)

[PDII Exam Questions](#)

[PDII Braindumps](#)